



PRODUCT CATALOGUE



Dynamic Solutions For:
Enhanced Productivity
Ultimate Energy Savings
Top Class Security
Advanced Hygiene Control

WHO ARE WE?

“Quality, sustainable products backed up by dedicated service professionals who don't walk away from a problem.”

**~ Phil Meyer-Smith
Peter Swan Engineers**



Ulti Group Hawera Office

We won't trouble you with the fascinating story of our history and how we first started in a garage in 1993 (even though its true!) but we are proud of what we have become.

Ulti Group continues to grow and succeed, and is a leading provider of accessway equipment to many companies across New Zealand and Australia that are involved in the Food Manufacturing and Cold Storage Industry as well as wider related industries.

Widely trusted advisors with a broad base of experience, we provide innovative solutions that will increase production, maintain hygienic conditions, reduce energy expenditure and provide a safe working environment, utilising our vast range of products and current experience of best practices internationally.

Ulti Group is humbled to be exclusive suppliers of Rite Hite Dock and Door products, and we also source quality products from Germany, Italy and other European countries.

With full service throughout New Zealand and Australia, we can truly deliver our consistent service with honesty and integrity wherever you may be located.



Cold Storage



Dairy Food & Processing



Logistics & Warehousing

WE ARE EVERYWHERE NZ WIDE

As well as having offices in Auckland, Hamilton, Hawera, Kerikeri and Christchurch, we have service centers in many of the main cities in NZ, helping us provide our 24/7 NZ wide service support.

Auckland Office:

68 McLaughlins Road, Wiri, Auckland, 2104
Ph: (09) 929 5726

Hamilton Office:

17 McKee Street, Te Rapa, Hamilton, 3200
PO Box 21210, Rototuna, Hamilton, 3256
Ph: (07) 974 4691

Hawera Office (Head Office):

105 Glover Road, Hawera, 4610
PO Box 340, Hawera, 4640
Ph: (06) 278 2003

Kerikeri Office:

185 Waipapa Road, Kerikeri, 0295
PO Box 105, Kerikeri, 0245
Ph: (09) 407 9629

Christchurch Office:

53 Vickerys Road, Sockburn, Christchurch, 8042
Ph: (03) 343 0011



Uti Group Auckland Office



Retail & Supermarkets



Architecture & Trades



Other Industries

WHAT'S IN HERE?




I.	Who Are We?	2
II.	We Are Everywhere	3
III.	What's In Here?	4
IV.	Why Ulti Group?	8
III.	Solutions Matrix	10
IV.	Door Systems	12
	High Speed Doors	14
	Ulti-Roll	15
	Ulti-Fold	16
	FasTrax	17
	FasTrax Clean	18
	FasTrax FR (Freezer Door)	19
	Ulti-Flex (Freezer Door)	20
	Bi-Parting Fabric Doors	21
	Ulti Alu-Speed Shutter	22
	Ulti-Spiral	23
	Heavy Duty Doors	24
	Custom Print Doors	25
	Full Vision Doors	26
	Komby Doors	27
	PVC Strip Curtains	28
	PVC Strip Curtains	29
	Swing Doors	30
	2400 Series	31
	3000 Series	32
	4500 Series	33
	Stainless Steel Swing Doors	34
	Ulti-Personnel Doors	35

Over-Sized Doors	36
Vertical Bi-Folding Doors	37
Ulti-Fold Max Door	38
Hygiene Doors	39
GRP Hinged Hygiene Doors	40
GRP Sliding Hygiene Doors	41
SS Hinged Chiller Doors	42
SS Sliding Chiller Doors	43
Medical Doors	44
Hinged Medical Doors	45
Sliding Medical Doors	46
GRP Lead-Lined Doors	47
GRP Hermetic Doors	48
Fire Rated Doors	49
GRP Hinged Fire Doors	50
GRP Sliding Fire Doors	51
Fire Rated PA Doors	52
Fire Rated Roller Shutter Doors	53
Smoke Curtains	54
Specialist Doors	55
Bugshield Doors	56
Controlled Atmosphere Doors	57
Car Wash Doors	58
Acoustic Doors	59
Carpark Grilles	60
Sectional Doors	61
Insulated Sectional Doors	62
Panoramic Glazed Sectional Doors	63
Vertical Stacking Sectional Doors	64



Your Solution Provider



Rolling & Sliding Doors	65
Roller Shutter Doors	66
Insulated Roller Shutter Doors	67
Insulated Sliding Doors	68
Overhead Gantry Sliding Doors	69
Door Accessories	70
Advanced Warning Technology	71
Activation Systems	72
Automation Systems	73
Battery Backup	74
Door Protection	75
IV. Dock Loading Systems	76
Dock Levellers	78
Hydraulic Dock Levellers	79
Vertical Storing Dock Levellers	80
Edge of Dock Levellers	81
Container Dock Levellers	82
Truck Levellers	83
Dock Seals and Shelters	84
Inflatable Seals	85
Eliminator Gapmaster Shelter	86
Combo Shelter	87
Eclipse Shelter	88
Rainguard Head Seal	89
Expandable Container Shelters	90
Dock Accessories	91
Dock Bumpers	92
Under Leveller Seals	93
Dok-Box Pit Forming Kit	94
Dok-Commander	95

WHATS IN HERE?

Dock Safety	96
Vehicle Restraints	97
Wheel Chocks	98
Wheel Guides	99
Dock Traffic Control Systems	100
Corner VU Light Systems	101
Trailer Stands	102
Dok-Guardians	103



V. Safety & Protection Systems 104

Bollards	106
Impactable Bollards	107
Impactable Barriers	108
Safe T Gates	109
Rack Sentry	110
Column Sentry	111
Corner Sentry	112
Ulti-Line	113
Spanguard	114
Guard Rite Strap	115
Sure Stop	116
Traffic Management Consulting	117



VI. Other Products 118

Zoneworks Curtains	120
Revolution Fans	121
Air Curtains	122
Ulti Barrier Arms	123



VII. Planned Servicing 124

VIII. Custom Designs 126

IX. Mission and Vision 127

WHY ULTIGROUP?

There is one question you may be already thinking:

Why are so many companies choosing Ulti Group as their preferred supplier?



There are many reasons for Ulti Group to be preferred, but a few 'stand-out' ones which really set us apart in the market place. We have:

- Proven reliable and consistent performance
- Mutually shared mission & values amongst the whole team
- Broad base experience & multi-discipline team of 40+Employees
- Proactive reporting to sites, and information sharing
- Technicians have broad base training on all door types
- Support for continuous improvement in all aspects of Business
- Proven to give you the results you need and want

All of these important factors ensure that we consistently provide quality service, and ensures that each customer and their challenges are looked after in the best way possible.

A Safe Journey with Ulti

It's the number one thing – keeping safe. Ulti Group has a dedicated Health & Safety Manager, and regular site inspections and formal audits are completed by management, to ensure the whole team is working as safely and efficiently as possible. Each team member is put through extensive training and a full management endorsed staff induction program is in place, and a full library of health and safety documentation is kept.

“It was a pleasure to work with the team from Ulti. The install guys are some of the best crew to work with, which makes it easier on site, and the products are top quality.”

- Daniel Abercrombie, Aline Construction



Warranty

Our warranty on our products is second-to-none. Our full product back-up and warranty policy exceed the industry norms, with extended warranty's far beyond what the market has previously considered great.

Our world class products and leading edge technology set us in good stead to ensure that you are looked after superbly from the day you meet our team and every day after.

Having in-house project management teams means projects are a breeze from start to finish, with our simple, effective systems and guidance.

Early Adopters of Technology

Ulti Group understands the importance, to our customers, of mobile technologies, and is actively investing in piloting software and hardware to keep on the cutting edge of technology. As always, we are keen to hear your ideas and feedback on anything we are working on, or any bright ideas you may have which will streamline your systems even more. Just flick us an email or give us a call!

"Ulti Group have been providing superior, professional service...the team communicate and deal with the issues I throw their way effectively and in a timely manner."

- Andrew Turner - Tegel Foods Ltd

SOLUTIONS MATRIX



Productivity		Temperature Control		Hygiene Control		Dock Safety	
Reducing the time it takes for people and product to travel through your doorways, we can increase your staff productivity.		Maintaining the correct temperature in your facility is essential to reduce your energy losses and decrease costs.		Every food processors problem! See our solutions to keep bacteria and pathogens out of your hygiene controlled facility.		The transition area from dock to truck is dangerous! See our large range of useful products to help make your dock loading safer.	
2400 Series	p31	4500 Series	p33	2400 Series	p31	Dock Bumpers	p92
3000 Series	p32	Combo Shelter	p87	3000 Series	p32	Dock Traffic Control Systems	p100
4500 Series	p33	Container Dock Levellers	p82	4500 Series	p33	Dok-Commander	p95
Air Curtains	p124	Eclipse Shelter	p88	Bi-Parting Fabric Doors	p21	Dok-Guardians	p103
Bi-Parting Fabric Doors	p21	Edge Of Dock Levellers	p81	Controlled Atmosphere Doors	p57	Guard Rite Strap	p115
Fastrax	p17	Eliminator Gapmaster Shelter	p86	Fastrax	p17	Traffic Management Consulting	p117
Fastrax FR	p19	Expandable Container Shelter	p90	Fastrax Clean	p18	Trailer Stands	p102
Heavy Duty Doors	p24	Fastrax	p17	Fastrax FR	p19	Safe T Gates	p109
Hydraulic Dock Levellers	p79	Fastrax FR	p19	Impactable Barriers	p108	Spanguard	p114
Komby Doors	p27	Hydraulic Dock Levellers	p79	Impactable Bollards	p107	Vehicle Restraints	p97
PVC Strip Curtains	p29	Inflatable Seals	p85	Insulated Sectional Doors	p68	Wheel Chocks	p98
Ulti-Flex	p20	Insulated Roller Shutter Doors	p67	Insulated Sliding Doors	p68	Wheel Guides	p99
Ulti-Fold	p16	Insulated Sectional Doors	p62	Rainguard Seals	p89		
Ulti-Fold Max	p38	Insulated Sliding Doors	p68	Revolution Fans	p123		
Ulti-Roll	p15	Rainguard Seals	p89	Truck Levellers	p83		
Ulti-Spiral	p23	Revolution Fans	p123	Ulti-Flex	p20		
Ulti Alu-Speed Shutter	p22	Truck Levellers	p83	Ulti-Personnel Doors	p35		
Ulti Barrier Arms	p125	Ulti-Flex	p20	Ulti-Roll	p15		
Vertical Storing Dock Levellers	p80	Ulti-Personnel Doors	p35	Ulti-Spiral	p23		
		Ulti-Roll	p15	Under Leveller Seals	p93		
		Ulti-Spiral	p23	Vertical Storing Dock Levellers	p80		
		Under Leveller Seals	p93	Zoneworks Curtains	p122		
		Vertical Storing Dock Levellers	p80				
		Zoneworks Curtains	p122				

							
Warehouse Safety		Equipment Protection		Security		Birds & Pests	
People, buildings, plant and machinery don't mix with forklifts – minimise their damage and harm with our innovative safety solutions.		Columns and pallet racking can easily be damaged. Prevent this damage with our impactable protection products.		Unwanted and uninvited intruders entering areas of your facility? Our solutions will help you tighten up your security in these areas.		We understand that birds, vermin and other pests are not wanted in your facility. Use our experience and products to solve this issue.	
Advanced Warning Technology	p71	Advanced Warning Technology	p71	Carpark Grilles	p60	Air Curtains	p124
Bi-Parting Fabric Doors	p21			Insulated Sectional Doors	p68	Bugshield Doors	p56
Bollards	p106	Bollards	p106	Komby Doors	p27	Fastrax	p17
Column Sentry	p111	Column Sentry	p111	Roller Shutter Doors	p66	Insulated Sectional Doors	p68
Corner Sentry	p112	Corner Sentry	p112	Ulti Alu-Speed Shutter	p22	Komby Doors	p27
Custom Print Doors	p25	Guard Rite Strap	p115	Ulti Barrier Arms	p123	PVC Strip Curtains	p29
Fastrax	p17	Impactable Barriers	p108	Ulti-Fold	p16	Ulti-Fold	p16
Fastrax Clean	p18	Impactable Bollards	p107	Ulti-Fold Max	p38	Ulti-Fold Max	p38
Fastrax FR	p19	Rack Sentry	p110	Ulti-Personnel Doors	p35	Ulti-Roll	p15
Full Vision Doors	p26	Spanguard	p114	Ulti-Spiral	p23	Ulti-Spiral	p23
Guard Rite Strap	p115	Sure Stop	p116	Vertical Bi-Folding Doors	p37	Vertical Bi-Folding Doors	p37
Impactable Barriers	p108	Traffic Management Consulting	p117	Vertical Stacking Sectional Doors	p64		
Impactable Bollards	p107						
Insulated Sectional Doors	p68						
Komby Doors	p27						
Rack Sentry	p110						
Safe T Gates	p109						
Spanguard	p114						
Sure Stop	p116						
Traffic Management Consulting	p117						
Ulti Alu-Speed Shutter	p22						
Ulti-Flex	p20						
Ulti-Fold	p16						
Ulti-Line	p113						
Ulti-Roll	p15						
Ulti-Spiral	p23						

Ulti Group is your one-stop-shop for all solutions around industrial doors, docks & safety and protection systems.



DOOR SYSTEMS

High speed, swing, over-sized, hygiene, fire rated, sectional and rolling & sliding doors.



OR EMS



HIGH SPEED DOORS



Ulti-Roll 15 **Ulti-Fold 16** FasTrax 17
 FasTrax Clean 18 **FasTrax FR 19**
Ulti-Flex 20 Split Second 21
 Ulti Alu-Speed Shutter 22
Ulti-Spiral 23 Heavy Duty Doors 24
 Printed Doors 25 **Full Vision Doors 26**
Komby Doors 27



ULTI ROLL

High Speed Fabric Door

High speed crash-resistant PVC fabric door that rolls upwards, designed for doorways with a continuous flow of traffic. An affordable option that provides excellent value for money in a wide range of applications.

Opening Speed: Up to 1.6m/sec
(specification dependent)

Maximum Size: 5.4m High x 7m Wide

Wind Resistance: 170km/h or 50 Pascal's
(size dependant)

Warranty: 2 Years

Ideal for controlling temperature, controlling dust, creating a sound barrier and stopping wind nuisance.



FEATURES & BENEFITS



Speed

Moving at up to 1.6m/second the Ulti-Roll allows for quick cycle times. This means decreased energy costs, improved productivity and reduced chances of expensive forklift impacts.



Crash Resistant

If a forklift collides with the door the curtain unzips itself from the side guides and moves away from the impact, then re-zips itself on the closing cycle. A soft flexible bottom edge and no rigid battens minimise damage costs further.



Safety

Laser beams prevent the door from closing when obstructed, and a wireless reversing bottom edge reverses door when coming in contact with anything on the closing cycle.

ULTI FOLD

High Speed Folding Warehouse Door

Rapid acting folding door ideal for situations where both speed and strength are required – an economic solution for all warehouses.

Ideal For:

Warehouses, distribution centers, manufacturing facilities, printing companies, logistic companies, dust control, 'big-box' retail and much more.

Opening Speed: Up to 1.5m/sec

Maximum Size: 12m Wide x 10m High

Wind Resistance: 150km/h

Warranty: 2 years

The ultimate balance between size, strength, and speed.



FEATURES & BENEFITS



Large Span

Turn your large openings into responsive doorways, with the Ulti-Fold comfortably spanning 12m Wide and 10m High openings. See the Ulti-Fold Max for even larger openings.



Safety

Adjustable photocells, with a 20m Range, detect traffic and reverse closing door. Transparent window panels can also be added to enhance visibility. Both features work together to maximise safety, and to prevent personnel harm and vehicle damage.



Strength

Exterior building doors need to be particularly strong to endure high winds, harsh storms and other severe environmental conditions. The Ulti-Fold has been designed to withstand them all, with a wind speed rating of over 150km/h.

FASTRAX

High Speed Self-repair Fabric Door

One of the fastest doors on the market with the largest variety of track configurations, reducing maintenance through its **true knock-out and auto re-feed ability**.

The fastest is also the safest, with multiple safety features including the reversing bottom edge, thru-beam photo eyes, and optional motion detection.

Opening Speed: 2.5m/sec

Maximum Size: 4.9m Wide x 4.9m High

Minimum Size: 1.5m Wide x 2.4 High

Wind Resistance: Interior doors: 40 km/h
Exterior Doors: 120 km/h

Warranty: 1 year money-back guarantee



FEATURES & BENEFITS



Spiral Technology

Curtain rolls up in a spiral configuration, reducing curtain wear and transfer of bacteria from one side of the curtain to the other.



Self-Repairing

In the event of an accidental impact the curtain will simply knock-out of its guides before relocating itself, undamaged, back into position, meaning reduced maintenance costs.



Versatile Track Designs

The curtain track can be configured into nearly any shape, allowing it to fit almost any application with fewer costly building modifications.

FASTRAX CLEAN

High Speed Hygiene Door

High speed fabric hygiene compliant door, with every component engineered specifically for harsh wash-down applications. Fully knock-out and auto re-feed – reducing maintenance and increasing safety.

- Compliant with NZ food safety regulations.

Opening Speed: Up to 2.5m/sec

Maximum Size: 3m Wide x 3.6m High

Minimum Size: 1.5m Wide x 2.1m High

Warranty: 1 year money-back guarantee



FEATURES & BENEFITS



Spiral Technology

Curtain rolls up in a spiral configuration, reducing curtain wear and transfer of bacteria from one side of the curtain to the other.



Self-Repairing

In the event of an accidental impact the door will simply knock-out of its guides before relocating itself, undamaged, back into position, meaning reduced maintenance costs.



Fully Washdown

The FasTrax Clean resists harsh cleaning chemicals and is designed for thorough cleaning, making it ideal for wash down areas.

FASTRAX | FR

High Speed Freezer Door

High speed insulated freezer door that has the tightest and most reliable seal on the market, the largest variety of track configurations, and true knock-out and auto re-feed.

Opening Speed: Up to 2.5m/sec

Maximum Size: 3.1m Wide x 5.5m High

Minimum Size: 1.5m Wide x 1.5m High

Curtain Thickness: 25mm

Warranty: 1 year money-back guarantee



FEATURES & BENEFITS




Unbeatable Insulation

Energy savings can be guaranteed with the Fastrax FR's robust insulated curtain, which eliminates ice build-up in your freezer, reducing defrost cycles and saving on clean-up labour costs



Blow-up Thermal Seal

An incredibly tight seal is created by a blow-up rubber seal that surrounds the top and sides of the doorway, filling any gaps and preventing air movement around the edges of the curtain.



Versatile Track Designs

The Fastrax FR can be installed in multiple track configurations, allowing it to fit almost any application with fewer costly building modifications.

ULTI FLEX

High Speed Bi-parting Freezer Door

High speed bi-parting freezer door that maintains 100% insulation when closed, allows efficient access with shorter cycle times, has full surround heat tracing and withstands forklift impacts.

Opening Speed: 2m/sec

Maximum Size: 3.2m Wide x 5.4 High

Minimum Size: 1.2m Wide x 2m High

Crash Resistant: Insulated panels flex, twist, bend and knock right out to nearly 45°, reducing impact damage and repair costs.

Warranty: 2 years or 100,000 cycles



FEATURES & BENEFITS



Unmatched Insulation

150mm thick panels and seals on all four sides give this insulated cool store door 100% insulation, couple this with short cycle times and your energy expenditure will decrease rapidly.



High Speed

Faster opening speeds equal shorter cycle times, less energy lost, improved safety and reduced chances of impact damage. The Ulti-Flex travels at 2m/sec – which is fast. Very fast.



Safety

Safety is maximised through the use of two through-beam photo eyes, optional safety reversing edges, additional photo cells, light warning systems and an emergency release in case of power failure.

BI-PARTING FABRIC DOORS

High Speed Bi-parting PVC Door

Speed is maximised with a bi-parting door as it only has to open the width of the person or machine moving through it, rather than the height. This also means shorter cycle times and higher visibility – the perfect option for doorways with high pedestrian traffic.

Opening Speed: 3m/sec

Maximum Size: 3.6m Wide x 3.6m High

Minimum Size: 1.5m Wide x 2.1m High

Wind Resistance: 50 Pascal's

Warranty: 1 year (including electrical)



FEATURES & BENEFITS



High Speed

An unmatched peak speed of 3m/sec makes the Bi-Parting PVC Door the industry's fastest door.



Short Cycle Times

These are created by the following factors: Opening at 3m/sec, bi-parting to allow full height immediately, and cutting the travel distance in half through using a bi-part operation.



Safety

Optional vision panels offer instant full height visibility through door. This, together with three sets of reversing thru beam photo eyes, means safety is maximised in your doorways.

ULTI ALU-SPEED SHUTTER

High Speed Aluminium Roller Shutter Door

A combination of strength, speed, great insulation, and tight security, complete this one-door system – an economical option for all exterior applications, with quality aesthetics.

Opening Speed: Up to 0.75m/sec

Closing Speed: Up to 0.38m/sec

Maximum Size: 5m Wide x 8m High

Minimum Size: 1.5m Wide x 2m High



FEATURES & BENEFITS



Economical Option

Above all, the Ulti Alu-Speed is an economical option for doorways at your facility. A combination of many essential benefits are rolled into this one door, all for a very competitive price.



One Door System

The Alu-Speed combines two doors into one, eliminating the need to purchase and maintain two doors, a secure door and a fast door, reducing your expenditure.



Speed

Moving at up to three times the speed of your conventional roller shutter door, the chance of accidental impact from traffic moving through the doorway is reduced. Cycle times are also reduced, maintaining the integrity of the work environment.

ULTI SPIRAL

High Speed Insulated Spiral Door

A high quality and fast insulated door, maximising security whilst maintaining the efficiencies of a short cycle time – great for external applications.

Maximum Opening Speed: 2.5m/sec

Maximum Closing Speed: 0.5m/sec

Operating Temperature Range:

-5°C to +40°C

Wind Retention: 130km/h

Warranty: 2 years

Acoustic Insulation: 22dB

Combining the features of a high speed fabric door and a secure roller shutter door.



FEATURES & BENEFITS



High Speed

The quickest speeds in the spiral door industry, with opening and closing speeds of up to 2m/sec, reducing cycle times and therefore maximising energy savings.



Insulation

Excellent thermal insulation is created through the use of foam filled, double-skinned steel slats, helping you maximise your energy savings through your facilities' doorways.



Non-contact Roll-up

The spiral bracket guides allow fast opening speeds and precise door travel. This means there is no wear on the door sections, and eliminates the transfer of dirt and grime from one panel to another.

HEAVY DUTY DOORS

High Speed Rubber Doors

High speed roll-up rubber doors are robustly designed for areas of high pressure and wind-load, harsh environments, high traffic demands, or where door impact is a concern.

Opening Speed: 1.5m/sec

Maximum Size: 7.6m Wide x 6m High

Operating Temperatures:

-40°C to +80°C

Ideal For:

- Harsh environments with dust, dirt, rain and snow
- High pressure and wind load
- Door impact concerns
- High level of traffic and continual flow demands



FEATURES & BENEFITS




Robust

A flexible rubber curtain that's resistant to abusive environments and impacts is the core element to the robustness of this high speed door, along with its unfailing drive system.



Security

The reinforced, dual ply fibre curtain provides effective security for the doorways in your facility, creating both a visual and physical barrier to prevent unlawful entry.



Crash Resistant

A knock-away, double angle bottom bar and reversing edge, mean if the door is accidentally knocked out of its guides, it can be up and running again in only a few minutes.

CUSTOM PRINT DOORS

Doors Printed With Customised Graphics

Improve the visual characteristics of your facility and increase brand awareness through graphically printing doors with your company branding or photos.

Ever wanting to catch your customers eyes with something out-of-the-box?

Ulti Group can print your company's logo or branding on your high speed doors, creating an eye-catching doorway that will be noticed.

Print full images onto the door's curtain to create unique appeal to those walking by, while maintaining the door's performance.



FEATURES & BENEFITS



Slogans

Print your logo, slogans, taglines and brand messages onto your doors where customers will continually see them.



Advertise

Wanting a unique way of advertising? Print your message on your doors, and customers will remember it forever.



Add a Picture

Any image can be printed onto your door curtain, giving you complete control over the door's unique aesthetic.

FULL VISION DOORS

Transparent PVC Roll-up Doors

PVC roll-up doors are completely transparent, providing exceptional vision and improved safety through all of your facility's doorways.

Opening Speed: 1.5m/sec

Maximum Size: 6m Wide x 7m High

Wind Resistance: 140km/h

See also our **Panoramic Glazed Sectional Door (p.63)**, a transparent sectional door.



FEATURES & BENEFITS



Safety

Full, unhindered vision through these transparent doors provides full safety around the doorway, allowing all traffic to see clearly what is happening on the other side of the door, minimising personnel harm and vehicle damage.



Visually Appealing

Being fully see-through gives this door unique, and attractive aesthetics. When used in a glass house application, it matches with the surrounding textures, blending into them, without being too bold.



Environmental Control

Short cycle times keep the door closed for longer, creating an effective barrier for wind and temperature differences between two different environments.

KOMBY DOORS

Roller Shutter and High Speed Door Combination

Combining our high speed PVC Doors with our secure Roller Shutter Doors on one doorway, to provide ultimate security and maximum efficiency – all through one entrance.

With such a compact design, the high speed PVC Door and the Roller Shutter Door 'piggyback' each other, and fit snugly on top of one another, requiring little headroom space for the two-door system.

At night time, simply lower the Roller Shutter Door for maximum security, then during the day and during your peak operating hours, leave the Roller Shutter Door up and use the High Speed Ulti-Roll door.



FEATURES & BENEFITS



Speed

The PVC Doors can move at up to 2m/second, meaning minimised cycle times, thus decreasing energy costs and minimising the chance of forklift impact, greatly enhancing productivity.



Security

Lock down your doorways at night with the Roller Shutter Door, which due to being designed so durable provides high security, preventing theft at your facility.




Economical Option

The Komby Door is a low cost yet effective option for where strength, security and efficiency need to be maximised.

PVC STRIP CURTAINS



PVC Strip Curtains 29



PVC STRIP CURTAINS

Plastic Strips

Strips of PVC hanging in your high use doorways provide a low cost solution for hygiene, energy, and temperature control.

Ulti Group stocks a wide range of flexible PVC. Bulk stocks are warehoused and available in a variety of sizes, thicknesses, temperature grades and colours ready for immediate dispatch.

Advantages:

- Allows visibility and light for safety
- Reduces noise
- Stops insect, bird and dust intrusion
- Creates comfortable working environment
- Maintains correct temperatures

PVC Strip Curtains Range:

Widths from 100mm to 400mm

2 – 3mm thick

Flat or ribbed options

Colours: Transparent, Red, Green and Yellow

Temperatures from -40°C to +40°C



FEATURES & BENEFITS




Environment Control

PVC Strip Curtains are an economical yet effective option for controlling temperature, ice, insects, vermin, birds, noise and visibility in your doorways at your facility.



Insect Resistant

Yellow PVC Strips have been proven to deter insects from entering your facility through your doorways.



Ideal For

Cool rooms, Freezers, Clean Rooms, Warehouses, Retail, Welding Bays, Manufacturing Facilities, Healthcare Facilities, Veterinary Facilities and Food Processing.

SWING DOORS



2400 Series **31**

3000 Series **32**

4500 Series **33**

Stainless Steel Swing Doors **34**

Ulti-Personnel Doors **35**

2400 SERIES

PVC Swing Doors

PVC two-way swing doors allow fast, safe access through doorways for staff, whilst providing an effective environmental barrier to control noise and contamination.

Maximum Size: 2.4m Wide x 2.8m High

PVC Panel: 7mm thick Duraflex (for above 0°) or Polarflex (for below 0°)

Impact Shear Pins: Built into the bottom mounting point of the panels these pins shear off to allow the panels to swing free on impact, preventing damage to both the wall and the aluminium frame.



FEATURES & BENEFITS



Crash Through

These 'crash doors' swing both ways and are built to take the impact from trolleys and forklifts. They provide environmental protection by always closing behind you.



Coloured Panels

Optional coloured panels are used to create privacy and add colour, enhancing both security and aesthetics.



Incorporated Signage

Your preferred signage or logo can be incorporated into the door panel, meaning it will never be worn or removed like an exterior sign would be.

3000 SERIES

Heavy Duty PVC Swing Doors

Heavy duty PVC swing doors, renowned for their strength and durability, are used for larger sized openings and are the 2400 Series big brother, still providing fast, safe access through your doorways.

Two-way swing allows quick and easy access through these PVC flap doors from both directions, making them the perfect solution for supermarkets.

Maximum Size: 3.2m Wide x 3m High

PVC Options: Clear, coloured or opaque

Impact Shear Pins: Built into the bottom mounting point of the panels these pins shear off to allow the panels to swing free on impact, preventing damage to both the wall and the aluminium frame.



FEATURES & BENEFITS



Robust

3000 Series PVC Doors are specially designed for larger openings than the 2400 Series, and are renowned for their extra strength – which can be largely attributed to welded aluminium door styles and gussets which are powdercoated.



Safe

Transparent PVC flaps provide great visibility through the doorway, increasing safety for your employees rushing to and fro through the doorway.



Incorporated Signage

Your preferred signage or logo can be incorporated into the door panel, meaning it will never be worn or removed like an exterior sign would be.

4500 SERIES

Thermal Swing Doors

Robust 45mm thick swing doors are great for high use doorways. They provide increased thermal protection, have appealing aesthetics and are crash through - enhancing both productivity and safety.

Maximum Size for a pair:

2.5m Wide x 2.75m High

Maximum Size for a single:

1.2m Wide x 2.75m High

Panel Thickness: 45mm

- Spring Buffers (Optional)
- Kick Plates (Optional)
- Signage (Optional)



FEATURES & BENEFITS



Crash Through

Impactable buffers give the door extra durability by absorbing the force - from both sides!



Insulated

45mm thick foam core panels provide savings on air-conditioning and energy costs, by creating an effective thermal barrier between two areas.



Seals

Full surround seals prevent dust, insect and contaminant intrusion.

STAINLESS STEEL SWING DOORS

Hygienic Two-way Traffic Doors

These Swing Doors are constructed with a fully stainless steel door leaf with foam infill, making the door solid and durable yet lightweight and easy to use, and perfect for any wash-down application.

Every day swing doors are continually pushed by staff or hit with heavy trolleys. These doors, hinges and equipment are optimised for long operation without any malfunction.

Door Leaf Surface: Stainless steel (smooth, brushed, circle brushed or line brushed) and PE buffer

Panel Thickness: 25mm thick and filled with polyurethane foam

Window: Optional, various shapes and sizes available



FEATURES & BENEFITS



Seals

The edges of the door are protected with a special gasket which seals the door and prevents hands or fingers being hurt, as shown above.



Hinges

Solid hinges are installed, incorporating stop functions when the door needs to be kept open for any reason.



PE Door Leaf

This is an option, and can come in any colour, with a door leaf thickness of 10mm, mounted on a stainless steel angle frame and standard plastic window.

ULTI-PERSONNEL DOORS

Personnel Access Door

Quality and durability define this personnel door, custom made and built to last giving it unmatched security properties.

Ideal For:

- High security areas
- Storage rooms
- Fire escapes
- Egress doors
- Thermal environments
- Commercial buildings

Optional Frame: Door can also be supplied with a 40mm industrial door frame, which comes complete with a door infill and sill.



FEATURES & BENEFITS



Robust

Durable aluminium cladding, plywood inner core, and a sturdy locking system - the ultimate prevention for thieves. All of these features are incorporated into this secure door.



Insulated

Polyurethane core minimises heat transfer through the door, helping reduce energy costs.



Strength

Extremely lightweight for a personnel door, but incorporating strong, quality parts, making it the most durable egress door on the market.

OVER SIZED DOORS



Vertical Bi-Folding Doors **37**
Ulti-Fold Max Door **38**

VERTICAL BI-FOLDING DOORS

Sideways Stacking Over-Size Doors

Oversize weather-tight doors which fold sideways to quickly open a clear span doorway – great for helping maintain the environment in an aircraft hangar or warehouse.

Maximum Size: 30m Wide x 6m High

Optional windows can be added for extra visibility, natural light and safety.

Ideal for:

- Train Depots
- Aircraft Hangars
- Fire Stations
- Ambulance Stations



FEATURES & BENEFITS




Speed

Vertical Bi-Parting Doors have fast opening speeds, therefore being the ultimate choice for emergency service buildings where speed is key.



Pedestrian Door

One of the panels can be fitted with a pedestrian door, to allow fast access for pedestrians through the doorway, instead of having to open the full bi-folding door.



Minimal Room Needed

The door panels stack against each other to each side of the doorway, eliminating the need for headroom and requiring very little sideroom.

ULTI FOLD MAX

High Speed Folding Warehouse Door

The Ulti-Fold Max is the big brother to the Ulti-Fold, for spanning extremely oversized doorways up to 35m high and 30m wide, yet still incorporating high wind resistance and unmatched strength.

Strong horizontal beam sections stack on top of one another to create an extremely tough door.

Opening Speed: 0.3m/sec

Closing Speed: 0.3m/sec

Maximum Size: 35m Wide x 30m High

Ideal for boat building companies, aircraft hangars, or any application where a single door is needed to span a large opening.



FEATURES & BENEFITS



Extremely Large Span

Spanning doorways up to 35m wide and 30m high, the Ulti-Fold Max is a great option for turning large openings into responsive doorways.



Very High Wind Resistance

The horizontal bars are fitted into pockets which are welded to the curtain, giving this door a Class 4 wind rating (up to 130km/h), which is unique for a door this size.



Safety

A reversing bottom edge, safety sensor technology and vision panels come standard with the Ulti-Fold Max, ensuring safety is maximised around your large door openings.

HYGIENE

DOORS



GRP Hinged Hygiene Doors **40**

GRP Sliding Hygiene Doors **41**

SS Hinged Chiller Door **42**

SS Sliding Chiller Door **43**



GRP HINGED HYGIENE DOORS

GRP(glass reinforced polyester) Hinged Hygiene Doors contain no organic material and have a molded, smooth, seamless, one piece construction which is easy to clean. These hygienic doors do not harbour bacteria, and are unaffected by moisture and common cleaning chemicals.

The built-in colour of our hygienic doors is aesthetically pleasing and requires no maintenance. Unlike timber or steel doors, GRP doors will not warp, swell, rot or rust, even in the most harsh conditions.

Hinged Options: Hinged single or double action, with single or double leaf. Fire rated option is available.

Vision Panels: Many shapes and sizes are available. Options include flush with internal blinds, smart glass, and x-ray and laser protection.



FEATURES & BENEFITS




Extreme Durability

Exceptionally strong, lightweight, and impact resistant. These doors outperform wood and steel alternatives, bringing you a lifetime of durability and the ultimate cost-effective solution.



100% Waterproof

Inorganic closed cell core which does not corrode or absorb moisture. Remains unaffected from exposure to water, steam, and chlorine; even after decades of use.



Super Chemical Resistant

Smooth, sealed, non absorbent surface which is easy to clean. Excellent resistance to most disinfectants, solvents and strong chemicals, including H_2O_2 .

GRP SLIDING HYGIENE DOORS

GRP(glass reinforced polyester) Sliding Hygiene Doors contain no organic material and have a molded, smooth, seamless, one piece construction which is easy to clean. These hygienic doors do not harbour bacteria and are unaffected by moisture and common cleaning chemicals. This makes them particularly suitable in areas that have regular and rigorous cleaning regimes.

The built-in colour of our hygienic doors is aesthetically pleasing and requires no maintenance. Unlike timber or steel doors, GRP doors will not warp, swell, rot or rust, even in the most arduous conditions.

Sliding Options: Single and double sliding options available. Fire rated option is available.

Vision Panels: Many shapes and sizes are available. Options include flush with internal blinds, smart glass, and x-ray and laser protection.



FEATURES & BENEFITS




Extreme Durability

Exceptionally strong, lightweight, and impact resistant. These doors outperform wood and steel alternatives, bringing you a lifetime of durability and the ultimate cost-effective solution.



100% Waterproof

Inorganic closed cell core which does not corrode or absorb moisture. Remains unaffected from exposure to water, steam, and chlorine; even after decades of use.



Super Chemical Resistant

Smooth, sealed, non absorbent surface which is easy to clean. Excellent resistance to most disinfectants, solvents and strong chemicals, including H₂O₂.

SS HINGED CHILLER DOOR

Hinged Stainless Steel Hygiene Door

Hinged chiller doors which are constructed from stainless steel, making them perfect for any wash-down clean room application.

Stainless steel door leaves are fully welded in all corners. All inside components are also made from stainless steel, making the complete door 100% corrosion resistant.

Single Leaf Maximum Size:

1.5m Wide x 4.8m High

Double Leaf Maximum Size:

3m Wide x 4.8m High

Door Thickness: 60mm - 150mm. Other options on request.

Temperature Range: -45°C to +8°C

Door Material: Stainless steel, galvanized coated steel or galvanized steel painted to chosen colour.



FEATURES & BENEFITS



Single or Double

You have the option to either use a single leaf door, or if your doorway is a little wider a double leaf stainless steel hinged system, to better suit your needs.



Hinges

Depending on the weight of the door leaf we use two or three stainless steel hinges. Optionally we can use angular up/down hinges which tighten the door when closing.



Locks

Stainless steel handle and lock is standard. Optionally, other types of door handles, anti-panic locks, roller locks, electric locks and other solutions can be fitted to meet your needs.

SS SLIDING CHILLER DOORS

Sliding Stainless Steel Hygiene Door

Sliding chiller doors which are 100% stainless steel, perfect for any wash-down clean room application.

A chiller and freezer door that can be 100% tightly closed with tight seals. Thermally insulated and durable, it is also fully hygienic, for use in cases where bacteria control is paramount.

Door Thickness: 60mm - 150mm

Temperature Range: -45°C up to +8°C

Door Material: Stainless steel, galvanized coated steel or galvanized steel painted to chosen colour.

Pipe Sliding Rail – This is constructed of aesthetically pleasing brushed stainless steel pipe and two large especially shaped PE black rollers. Special shaping of the tube causes the rollers to fall down and tighten the seal during closing.



FEATURES & BENEFITS



Single or Double

If your chiller or clean room doorway is a little too wide for a single slider, there is the option to use a double leaf stainless steel sliding system, to better suit your needs.



Handles & Locks

Stainless steel handles and locks are standard. Optionally, other types of door handles, anti-panic locks, roller locks and electric locks can be fitted to suit the opening style your facility needs.



Frames

These are specifically constructed to ensure rigidity and durability. Standard design uses a welded corner frame, but it is possible to use a more economical overlay frame or other, depending on the installation conditions.

MEDICAL

DOORS



Hinged Medical Doors **45**
Sliding Medical Doors **46**
GRP Lead-Lined Door **47**
GRP Hermetic Doors **48**



HINGED MEDICAL DOORS

Hygienic Hinged Stainless Steel Doors

Fully stainless steel hinged medical doors designed for any medical environment, which are built to be safe and robust, and to enhance the look of a doorway.

These doors are fully flush with no lips or rebates, and have fully concealed fixings so bacteria has nowhere to gather and grow.

Door Wing: Single or double wing, 42mm thick, acoustically and thermally insulated with highly pressured polyurethane foam

Automation: Optional opening system that can be activated with a hand or elbow

A drop down gasket at the bottom of the door seals tightly to the ground, but lifts when door is opening or closing.



FEATURES & BENEFITS



Optional Window

Circular or rectangular windows can be fitted into the door and are finished flush with the door leaf. Internal blinds and double glazing are also available as options.



Handles & Locks

A full range of handles and locks are available, stainless steel handle with key-lock, pull handles with door closers and electrolock functions.



Integration

Doors can be integrated with fire alarms, security systems and other doors around the hospital, for security or in case of an emergency.

SLIDING MEDICAL DOORS

Hygienic Sliding Stainless Steel Doors

Fully stainless steel sliding medical doors designed for any medical environment, which are built to be safe and robust, and to enhance the look of a doorway.

These doors are fully flush with no lips or rebates, and have fully concealed fixings so bacteria has nowhere to gather and grow.

Door Wing: 37mm wing with fully closed construction, acoustically and thermally insulated with highly pressured polyurethane foam. Can be single or double slide.

Automation: Optional opening system that can be activated with a hand or elbow



FEATURES & BENEFITS



Optional Window

Circular or rectangular windows can be fitted into the door, optionally double-glazed and are finished flush with the door leaf. Internal blind also available.



Tightening Slide System

The door tracks have indents in them so that when the sliding door closes, it pinches tightly into the door frame to eliminate any gaps around the door, sealing it tightly.



Integration

Doors can be integrated with fire alarms, security systems and other doors around the hospital, for security or in case of an emergency.

GRP LEAD-LINED DOORS

Lead-Lined X-Ray Door

Glass Reinforced Polyester X-Ray Doors are ideally suited to hospitals and other sterile environments where hygiene and x-ray protection are a priority. These door sets use a lead sheeting in a range of thicknesses.

Lead-lined doors are smooth and seamless, free from voids or ledges where bacteria can build up. This makes them ideal for healthcare applications where sterile and clean conditions are required.

Opening Options: Hinged or sliding, single or double leaf

Windows: Lead glass vision panels in many shapes and sizes are available.



FEATURES & BENEFITS



100% Waterproof

Inorganic closed cell core which does not corrode or absorb moisture. Remains unaffected from exposure to water, steam, and chlorine; even after decades of use.



Additional Options

X-Ray doors are available with fire resistance, sound reduction, air pressure control and lead glass vision panels, and we can customise any door to meet your specific requirements.



Internal Blinds

All Ulti GRP Doors can have vision panels inserted in them, and there is the option to have internal blinds to add privacy when needed. A great option for hospitals.

GRP HERMETIC DOORS

Hermetically Sealing Medical Door

GRP Gas-tight Door seals tightly the full four sides of the doorway, and are extremely effective in increasing sound insulation while reducing air handling costs, wound infections, and cross contamination in hospital and clean environments.

Door: Sliding or hinged single or double leaf with hermetic seal

Sliding Track: Aluminium rail system with nylon bearings

Doorblade: 60mm thick panel finished with hard plastic laminate.

Sealing: Rubber 'D' shaped gasket

Options: Fire-resistant, a wide range of door frames, automated sensors, double glazed flush fitted vision panels.



FEATURES & BENEFITS




Sliding Door vs. Hinged Door

Hinged doors create uncontrolled movements of air when they open and close, which can accelerate the spread of micro-organisms in operating theatres and isolation wards.



Patented Track System


The unique patented track system is angled at 45 degrees and special indentations allow the bearings to roll down and into the door frame, using the doors own weight to seal perfectly against the frame and floor.



Applications

Hermetically sealing doors are great for Operating Theatres, Recovery Rooms, Pharmacies, Delivery Rooms, Mortuaries and Aseptic Suites.

FIRE RATED DOORS



- GRP Hinged Fire Door **50**
- GRP Sliding Fire Door **51**
- Fire Rated PA Doors **52**
- Fire Rated Roller Shutter Doors **53**
- Smoke Curtains **54**

GRP HINGED FIRE DOOR

Hinged Hygienic Fire Door

Ulti Group's GRP Fire Doors meet over 90 independent fire rating tests all over the world, including New Zealand AS 1905.1. Our fire rated door systems provide up to 4 hours' fire resistance.

GRP Fire Doors combine safety and durability without compromising high standards of hygiene.


Optional: one way single and double leaf swing, or two way single and double leaf swing.

What does GRP stand for?

Glass reinforced polyester, or in other words, fiberglass.



FEATURES & BENEFITS



Intumescent Strip

This is built into the door leaf or frame during the manufacturing process, and when in contact with extreme heat expands, filling out any gaps in the doorway and sealing it tight.



Ultra Clean

Completely smooth and seamless gelcoat finish which is non porous and non-shredding. Free from organic materials, ledges, recesses or right angles, for flawless hygiene.



Fire & Heat Resistant

Designed, tested and certified to meet the most stringent fire certifications. Completely heat resistant and designed to withstand areas with high humidity and extreme temperatures.

GRP SLIDING FIRE DOORS

Sliding Hygienic Fire Door

Uti Group's GRP Fire Doors meet over 90 independent fire rating tests all over the world, including New Zealand AS 1905.1. Our fire rated door systems provide up to 4 hours' fire resistance.

Exceptionally strong, lightweight, and impact resistant. These doors outperform wood and steel alternatives, bringing you a lifetime of durability. These doors are also 100% water and chemical proof due to an inorganic closed cell core which does not corrode or absorb moisture.

Manual or automatic options available.

Frame Types: Fiber reinforced polyester or stainless steel.



FEATURES & BENEFITS



Intumescent Strip

This is built into the door leaf or frame during the manufacturing process, and when in contact with extreme heat expands, filling out any gaps in the doorway and sealing it tight.



Ultra Clean

Completely smooth and seamless gelcoat finish which is non porous and non shedding. Free from organic materials, ledges, recesses or right angles, for flawless hygiene.



Fire & Heat Resistant

Designed, tested and certified to meet the most stringent fire certifications. Completely heat resistant and designed to withstand areas with high humidity and extreme temperatures.

FIRE RATED PA DOOR

Fire Resistant Personnel Doors

Quality hinged personnel access doors which are compliant with NZ fire rating regulations, and which also boast great durability and security features.

Maximum Dimensions:

1260mm x 2505mm (Single Leaf)
2010mm x 2505mm (Double Leaf)

Sheet Thickness:

1.0mm / 1.5mm

Options:

- Level Handle Sets
- Locks
- Emergency Exit Locks
- Panic Door Locks



FEATURES & BENEFITS



Fire Compliant

Ulti Group's Fire Rated PA Doors are compliant with NZ fire regulation standards, helping you keep your facility compliant.



Durable

Fire compliance and durability go hand in hand, as strength is needed for a door to have both these features. Ulti Groups Fire Rated PA Doors are some of the most durable on the market.



Secure

Doubles as a security door, being resistant to physical attacks using levers, hand-tools and large impacts from both sides. A quality locking system and hinges provide this door with its top of the market security status.

FIRE-RATED ROLLER SHUTTER

Fire Resistant Steel Slat Doors

Robust roll-up slat doors providing ultimate security for your facility, as well as being compliant with fire regulations in NZ – a great economical option for any warehouse.


Maximum Size: 7.5m Wide x 6m High

Fire Rating: Up to -/240/- in masonry and -/60/- in modified plasterboard walls

Operating Options: Hand chain or motorised



FEATURES & BENEFITS



Fire Compliant

Ulti Group's Fire Rated Roller Shutter was tested in New Zealand to AS 1530 Part 4, in a recognised New Zealand testing facility.



Security

Roll formed, galvanised steel interlocked slats provide a high level of security through your opening, preventing thieves from entering your facility.



Ideal For

Workshops, schools, factories, warehouses, industrial buildings and large commercial openings.


SMOKE CURTAINS

Automatic Fire and Smoke Resistant Curtains

Roll-up curtains which activate in the event of a fire, diverting smoke and fire away from a desired location – ideal for all commercial buildings.

The purpose of the installation of smoke curtains is to compartmentalise your facility so that if there is fire or smoke in one compartment, it can be blocked off from reaching the other compartments of your facility.

Maximum Size:
11m Wide x 8m High



FEATURES & BENEFITS



Automatic

Smoke Curtains can be set to automatically close when a fire alarm system is activated, so if no personnel are available to close them they will still be effective in case of a fire.



Safety

Curtains slow down the spread of fire and smoke through your facility in an emergency, therefore giving personnel more time to exit when a fire breaks out.



Protect Assets

Smoke curtains prevent smoke and fire damage to your valuable assets.

SPECIALIST DOORS



Bugshield Doors **56**
Controlled Atmosphere Doors **57**
Car Wash Doors **58** Accoustic Doors **59**
Carpark Grilles **60**

BUGSHIELD DOORS

Insect Proof Screens

Sliding or roll-up insect screens keep insects and pests out while allowing fresh air to flow through your facility, and also increase security by providing a visual barrier.

Maximum Size:

6.1m Wide x 5.5m High

Minimum Size:

1.2m Wide x 2.1m High

Mesh Colours:

yellow, red, blue, grey

Warranty: 1 Year

Available automatic or manual roll-up, or manual sliding – for wider doorways.



FEATURES & BENEFITS




Pest and Bug Control

Heavy-duty vinyl coated mesh prevents the access of small bugs and insects, and also prevents larger pests from entering your facility, all of which can cause expensive product damage.



Security

Rather than having an open doorway, the Bugshield Door provides a visual barrier, deterring unauthorised access into your facility, and therefore prevents theft and vandalism.



Increased Airflow

Whilst keeping unwanted pests out, it allows fresh air to enter your work area, for comfort and productivity.

CONTROLLED **ATMOSPHERE** DOORS

Gas Tight Doors

100% gas tight refrigeration doors with unique inflatable sealing, which helps maintain the temperature and air humidity levels in ripening and storage rooms.

An entirely gas-tight space is crucial to successful storage, with the door being a vital component. It takes only seconds to open and re-seal Ulti Controlled Atmosphere Doors.

Door Types: Can be made up of multiple panel sections, one panel, or fabric.

Banana Room Doors: These doors can be used for banana rooms, where gas tight seals are a must.



FEATURES & BENEFITS



Gas Tight Seals

Ulti Controlled Atmosphere Doors have a unique action locking design which provide them with their 100% sealing capability, meaning temperatures and atmospheric conditions can be easily controlled within the room.



Insulated

Whilst being gas-tight, these doors are also constructed out of an insulated panel, and this coupled with their tight seals provides an unbeatable door for temperature control within your facility.



Windows

Designed for taking samples of the conditions inside the controlled atmosphere space, double glazed windows that open from the outside are positioned in the center of the door. These are an optional feature.

CAR WASH DOORS

Entry and Exit Doors for Car Wash Buildings

Corrosion proof sectional doors designed especially for the entry and exit to car washes, to withstand the harsh cleaning chemicals they come in contact with.

Ideal For:

- Corrosive environments
- Wet environments
- Wind protection
- Security
- Additional Light



FEATURES & BENEFITS



Corrosion Resistant

Stainless steel tracks, hinges and brackets, and plastic componentry means this door is corrosion resistant.



Complete Seals

These doors boast a tight seal on all four sides to stop all chemicals and water leaking through to the outside of the carwash.



Strength

Constructed out of light weight aluminum and Polycarbonate, these doors can withstand 200 times the impact of a glass door while maintaining only 1/8 the weight.

ACOUSTIC DOORS

Sound Barrier Doors

Engineered to prevent a specific amount of sound from passing through a doorway, these doors are perfectly suited for manufacturing facilities and music studios.

Any area that you want to separate noise from, Ulti Group will be able to find you the perfect Acoustic Door system to suit your application.

Door Options:

- Sectional Door, up to 41dB protection
- Roller Shutter Door, up to 54dB protection
- Sliding Door, up to 45dB protection



FEATURES & BENEFITS



Sound Proofing

Doors are designed for the level of sound protection you require, and sound proof up to 54dB.



Multiple Door Operating Styles

Sound Proof sectional doors, roller doors and sliding doors are available, depending on your application and requirements.



Economical Option

All doors soundproofing verified according to DIN EN ISO 140-3 for your peace of mind.

CARPARK GRILLES

Security Grilles

A robust roll-up aluminum tube barrier which provides unmatched security for any car park or store front application, whilst maintaining an attractive appearance.



FEATURES & BENEFITS



Security

Aluminium roller grilles provide the doorway they protect with ultimate security with their offset tubing, providing both a visual and physical deterrent for thieves and vandals.



Vision & Ventilation

Roller grilles provide great vision and ventilation, due to having small areas in between the tube, which allows the grille to be seen through and air to pass through the grille.



Ideal For

Carpark entrances, shop fronts, large pedestrian openings and arcades, anywhere where you want to prevent pedestrians from accessing.

SECTIONAL

DOORS



Insulated Sectional Doors **62**
Panoramic Glazed Sectional Doors **63**
Vertical Stacking Sectional Doors **64**



INSULATED SECTIONAL DOORS

Insulated Sectional Panel Doors

Using an insulated sectional panel design which rises overhead, these doors provide excellent thermal, hygiene and acoustic control – the perfect solution to a dock doorway.

Maximum Size: 8m Wide x 8m High

Door Track: Can be configured in multiple ways to allow for head room availability.

R Value: 4.8

Windows: Optional windows in each panel, with availability to make these mesh for increased air flow.



FEATURES & BENEFITS



Insulated

With a high R value of 4.8, the Ulti Insulated Sectional Door provides your doorways with excellent thermal control, reducing heat transfer in hot and cold weather.



Tight Seal

Weather tight seals around the perimeter of the door mean these doors are great for external applications, especially for dock loading, to reduce energy losses around the perimeter of the door.



Acoustic Benefits

With an STC rating of 25.1 it provides a substantial acoustic barrier for your facility, blocking off any unwanted noise from either inside or outside.

PANORAMIC GLAZED SECTIONAL DOORS

Transparent Sectional Panel Doors

Fully transparent panels give these doors great visual aesthetics, improve safety and allow natural light to flow through the door.

Multiple Configurations:

Vertical stacking, high lift, standard lift. Choose the opening configuration to suit your building design.

Wicket Door: Optional personnel doors can be fitted into the sectional door.



FEATURES & BENEFITS



Visually Appealing

The perfect door for places like a car showroom, where they enhance the image of your building and create a clean, crisp look.



Natural Light

Let the natural light and sun flow into your building to create a better environment for your employees.



Safety

Due to being able to see through the door at all times, safety is enhanced as it is simple to see if anyone is coming towards you on the other side of the doorway.

VERTICAL STACKING SECTIONAL DOORS

Upwards Stacking Door of Sectional Panels

Panels fold and stack one on top of another above the door, the perfect solution for any tight application which requires a sectional door.

Maximum Size: 8m Wide x 8m High

Panel Options: Straight panels, panels with windows, full vision, or even an in-built personnel door.



FEATURES & BENEFITS



Compact

Because this door stacks its panel's one on top of another at the top of the doorway, headroom required is minimal, and the door can fit in many places other door styles couldn't.



Visually Appealing

With multiple colour and fully glazed options, the Vertical Stacking Sectional Door can be used to enhance your buildings image, by giving it a modern touch.



Ideal For

Car Showrooms, Fire Stations, Museums, Ambulance Stations, or any commercial buildings.

ROLLING & SLIDING DOORS



Rolling Shutter Doors **66**

Insulated Roller Shutter Doors **67**

Insulated Sliding Doors **68**

Overhead Gantry Sliding Doors **69**



ROLLER SHUTTER DOORS

Secure Steel Slat Doors

Durable roll-up slat doors to provide enhanced security in your facility's doorways – an economical option for any exterior opening on your building.

Maximum Size:

Up to 8m Wide x 7m High
(dependant on operating system)

Operating Options:

Hand chain or motorised

Powder coating of the door and guides is available.



FEATURES & BENEFITS



Durability

Roll formed interlocking galvanised slats are a robust yet simple design, which can withstand high winds and harsh, corrosive environments. The slats are also individually replaceable in case of an accidental impact.



Security

Due to its durable design, Roller Shutter doors have a high security factor, with the durable slats providing an extremely secure door, preventing theft at your facility.



Ideal For

The most economical option for all types of factories, warehouses and industrial buildings.

INSULATED ROLLER SHUTTER DOORS

Insulated Secure Steel Slat Doors

Strong, durable roll-up slat doors which combine simple yet effective insulation and security properties in one doorway, fitting nearly any application – an economical option for your facility.

Polyurethane insulation filled slats help you keep heated areas warm and chilled areas cool. Great for external applications where a stable environment inside your facility is needed.

Maximum Size:

10m Wide x 8m High

Minimum Size:

1.5m Wide x 1.5m High

Warranty: 2 years



FEATURES & BENEFITS




Durability

Roll formed interlocking galvanised slats are a robust yet simple design which can withstand high winds and harsh, corrosive environments. The slats are also individually replaceable in case of accidental damage.



Security

Due to its durable design, these doors have a high security level, preventing theft at your facility. Auto close option is available to keep the door closed as much as possible.



Safety

Sensor systems, reversing edges and vision panels are available to prevent harm to your personnel, and damage to your vehicles and door.

INSULATED SLIDING DOORS

Horizontal Sliding Insulated Panel

There are many different types of Insulated Sliding Doors to suit the many applications they are needed for. From -40°C to $+8^{\circ}\text{C}$, we have a full range of sliding door solutions for doorways in your chillers or freezers.

Optional manual opening or automatic opening sliding doors, and if automated there are many different activation options, from push buttons to sensors and radars.

Panel Types: Stainless steel, galvanized coated steel, galvanized steel painted to chosen colour, or freezer panel with capping.

Door Thickness: 60mm to 150mm

Temperature Range: -40°C to $+8^{\circ}\text{C}$



FEATURES & BENEFITS



Insulation

Can be fitted to Freezers with working temperatures down to -40°C , to stop cold air escaping and warm air entering your freezer, reducing energy costs.



Robust

Being such a simple design and made out of such sturdy materials, the Insulated Sliding Doors can take the biggest of knocks and will endure the harshest environments.



Simplicity

The simple freezer panel design means breakdowns and issues are practically non-existent, and repairs to the door are a simple task.

OVERHEAD GANTRY DOORS

Door With Gantry Track

Insulated and hygienic doors with the ability to have a gantry track through the doorway, and still have the door sealing tight.

With the hinged door, the gantry track simply runs above the doorway with seals around the track, so the door closes below the track. With sliding doors, the track can run above the doorway, or with a gantry-lift system where a part of the gantry pipe or rail is flicked upwards, allowing the sliding door to fully seal when closed.

Panel Types: Stainless steel, galvanised steel, painted galvanised steel

Panel Thickness: 60mm to 80mm for Hinged, 60mm for Sliding




FEATURES & BENEFITS



Insulated & Hygienic

Hinged and Sliding doors can be constructed for both chiller and freezer operations, and can be constructed fully out of stainless steel, both panel and fittings, so great for full wash-down areas.



Optional Extras

A range of automation systems, hinges, handles, locks and safety features can be added to your door to enhance its performance, and help further increase productivity and energy savings around your facility.



Stainless Steel Finish

The stainless steel leaf can be finished in several ways; smooth, brushed, circle brushed or line brushed.

DOOR

ACCESSORIES



Advanced Warning Technology **71**
Activation Systems 72
Automation Systems **73**
Battery Backup **74** Door Protection **75**



ADVANCED WARNING TECHNOLOGY

Oncoming Traffic Safety Lighting

Flashing lights alert personnel of approaching traffic through doorways or where there is obstructed visibility before the door starts moving, therefore dramatically enhancing the safety of your personnel.

Advanced Warning Technology gives your personnel 'virtual vision', which in the long run improves productivity, and also reduces harm to personnel and damage to vehicles.



FEATURES & BENEFITS



Safety

Bright LED warning lights provide advanced warning of traffic for areas where visibility is reduced, and therefore maximises safety of your personnel.



Suitable For

Any doorways, gateways, hidden corners, insulated doors where windows are unable to be used, and can be fitted to any door type - regardless of manufacturer.



Virtual Visibility

Sensors on either side of doorway detect when traffic is approaching, and activate flashing red lights on the opposite side of the door.

ACTIVATION SYSTEMS


Sensors and Radars for Automated Doors

Systems to activate any automatic door, comprising of motion sensors, radars, pull cords, push buttons and more.


Activation systems give you the ability to increase productivity by allowing personnel and traffic to move through your doorways with speed and ease, decrease costs associated with damage and false cycles, and improve doorway safety on your site.



FEATURES & BENEFITS



Induction Loop



Motion Detector







Photo Eye



Radio Control



Pull Cord



Push Button

AUTOMATION SYSTEMS

Automatic Door Openers

Turn nearly any manual operating door into an automatic door with our small, efficient motors, enhancing productivity at your facility.



FEATURES & BENEFITS



Increased Productivity

Automate your manually operated doors to increase productivity in your facility.



No Door Exempt!

Virtually any door can be automated with our extensive range of automation systems. Roller doors, sliding doors, overhead doors and more.



Auto-close Functions

Features such as auto close functions, radar, floor loop, magic switch and remote activation can conserve energy and increase critical hygiene ratings.

BATTERY BACKUP

Battery Backup for Power Outages

A small battery pack that provides power to any type of automated door when there is an unexpected power cut, ensuring productivity isn't affected.




FEATURES & BENEFITS




Safety

Keeps your doors operating at full speed during power cuts, ensuring no personnel are stuck inside your facility.



Economical

An economical option for maintaining productivity during power outages, as the loss of productivity through a large power outage far outweighs the cost of installing battery backup on each of your doors.




Another Power-cut Product

See also our glow-in-the-dark line marking tape, Ulti-Line, to guide personnel to the nearest exit during power outages.

DOOR PROTECTION

Bollards and Barriers to Protect Your Door

Protect your door and doorway from bumps and knocks with door bollards and barriers which surround the frame, reducing costly downtime caused by damages.



FEATURES & BENEFITS



Safety

Impact to your doorways can cause things to fall and this creates a hazard for your personnel. With track guards and full door protection this danger is eliminated, creating a safer work environment in your facility.



Low Maintenance

Damage and maintenance costs are reduced greatly, as instead of having to repair parts or replace your whole door, you only need to replace the barrier or guard, which is of much lower value.



Options

Door bollards, full frame bollards and track guards are some of the options to protect your valuable doors and doorways.



DOCK LOADING

Dock levellers, seals, shelters, safety equipment and accessories to improve safety and increase



CK SYSTEMS

productivity in your dock loading areas.

DOCK

LEVELLERS



Hydraulic Dock Levellers **79**
Vertical Storing Dock Levellers **80**
Edge of Dock Levellers **81**
Container Dock Levellers **82**
Truck Levellers **83**



HYDRAULIC DOCK LEVELLERS

Horizontal Storing Dock Levellers

Dock levellers which are stored in the dock pit and can improve safety and productivity at your loading dock by providing a smooth transition for forklifts.

Size: Up to 2.6m wide

Warranty:

Up to 20 years, dependent on dock leveller style and size.



FEATURES & BENEFITS



Smooth Transition

From the rear hinge to the front hinge, the Hydraulic Dock Leveller provides the smoothest transition between the dock, leveller and trailer to help prevent injuries, and minimize forklift and product damage.



Hydraulic

Hydraulic positioning of both the lip and platform ensures high reliability and low maintenance of the dock leveller, and push button activation provides the dock attendant with simple control for safe operation.



Safety

Constant-pressure push-button controls keep operator in control of leveller movement at all times, and optional guards prevent forklift drivers from accidentally driving off the side of the leveller.

VERTICAL STORING DOCK LEVELLERS

Upright Storing Dock Levellers

Dock levellers which store upright, therefore offering superior security and environmental control by allowing the truck to fully dock before opening the trailer doors.

Warranty: Up to 20 year money back warranty

The Vertical Storing Leveller allows the dock door to close all the way to the floor, creating a tight seal and preventing expensive cold air from escaping.



FEATURES & BENEFITS



Door Protection

Storing vertically in front of the door, the Vertical Leveller acts as a guard against vehicle impact to your dock doors, preventing door damage from accidental impacts.



Smooth Transition

From the rear hinge to the front hinge, the leveller provides a smooth transition between the dock, leveller and trailer to help prevent injuries, and minimize forklift and product damage.



Hydraulic

Hydraulic positioning of both the lip and platform ensures high reliability and low maintenance of the dock leveller, and push button activation provides the dock attendant with simple, easy control.

EDGE OF DOCK LEVELLERS

Simple Dock to Truck Leveller

Positioned on the edge of the dock, these levellers are ideal for trucks with minimal height difference, or if space around your dock is a problem.

Saves time and space by eliminating the need to store, find and move portable plates to correct dock positions.



FEATURES & BENEFITS



Economical Option

The Edge of Dock Leveller is a low cost solution if you need a simple dock leveller to bridge the gap between the dock and a truck.



Hydraulic Upgrade

All mechanical units come ready for hydraulic upgrade, so if in the future a hydraulic system is needed, it can simply be added.



Bumpers

Dock bumpers can be added to the front of the leveller so trucks do not damage it when backing up.

CONTAINER DOCK LEVELLERS

Dock Leveller for Containers on Trailers

These provide room for the trailer under the dock leveller, so containers positioned in the middle of trailers can be entered whilst still on the trailer.

Container Dock Levellers are your solution to the problem of unloading/loading containers that are positioned central on the truck and not sitting right at the back of the truck. The container dock leveller is designed so that the trailer can park underneath the dock platform allowing the forklift to access the container on the leveller with ease.



FEATURES & BENEFITS



Flexibility

Design of dock leveller allows for both normal back loading trucks and also trucks with containers on them to dock. Two challenges - one solution.



Fully Integrated

The leveller, lights and dock door can be all integrated into one control box to work in the safest, most efficient way possible. The Dock Commander control box.



Mounting Options

Leveller can be mounted in a dock pit inside the building, or alternatively in front of the loading docks, if building does not have a dock pit.

TRUCK LEVELLERS

Hydraulic Truck Lifting Platform

A large ramp which lifts the rear of the truck or trailer upwards to be level with the dock, meaning a greater range of trucks can dock at one loading bay.

The very unique and innovative truck leveller solves the problem of large variance of truck deck heights, which can cause unacceptable leveller angles when loading and result in forklifts 'stumping' upon entrance to the truck. The solution is simple. Lift the rear of the truck up until it is level with the loading dock. The Ulti Truck Leveller features a sloped deck so that the rear of the truck sits level when lifted, eliminating the tendency to roll away under its own weight.



FEATURES & BENEFITS



Versatile

Used for applications where there are low trailers and a significantly higher loading dock, to lift the trailer up to the correct height so the dock leveller can be used safely and effectively.



Improved Safety

If the truck deck is too low for the dock leveller, this can create 'stumping' for the forklift, as the slope between the dock and the truck is too much and the forklift can get stuck.



Multiple Sizes

Truck Levellers can come in many different widths and lengths, to suit different truck sizes and weights. Each is custom manufactured.

DOCK SEALS & SHELTERS



Inflatable Seals **85**

Eliminator Gapmaster Shelter **86**

Combo Shelter **87**

Eclipse Shelter **88** Rainguard Seal **89**

Expandable Container Shelters **90**



INFLATABLE SEALS

Inflatable Dock Seal

Blowing up and sealing around the top and sides of the truck or trailer when docked, this seal reduces energy loss and prevents pests and vermin entering your facility.

Inflation Time: 15 seconds

Deflation Time: 15 seconds

Method of Operation

Once the truck has docked securely the dock attendant switches the fan on and it inflates the seal until it seals tightly around the truck. The fan keeps inflating the seal until the truck needs to depart from the dock. At this time the fan is switched off and the curtain deflates allowing the truck to depart.



FEATURES & BENEFITS



Versatile

The Inflatable Seal can accommodate a large variety of truck heights as the top curtain continues inflating until it seals against the top of the truck.



Tight Seal

Due to the curtains filling with air around the back of the truck, different sized trucks can use the same dock, and the seal just inflates to the right size to seal effectively every time.



Robust

The Inflatable Seal is constructed out of robust components and fabric, and can withstand temperatures as low as -35 and as high as +80 degrees Celsius.

ELIMINATOR GAPMASTER SHELTER

Dock Shelter

A fully impactable dock shelter that can take repeated hits from off-centre trailers without suffering expensive damage – boasting strength and robustness.

Slim profile side frames create a narrow footprint so the shelter can fit in tight spaces.

Integral, fabric-wrapped rain-gutter diverts water off sides of shelter.



FEATURES & BENEFITS



Impactable

Due to its durable foam frame sides and the pivoting canopy header, the Eliminator shelter can absorb impact from off-centre trucks, reducing dock loading maintenance costs.



Durability

The Return on Investment for the Eliminator Gapmaster Shelter is greatly improved by the robust design and the friction resistant, high wear fabric used.



Tight Seal

The side frame, header and flexible side curtains provide greater sealing efficiency around the perimeter of the truck, whilst the Gapmaster hooks effectively seal the hinge gaps around the truck doors.

COMBO SHELTER

Dock Shelter

An impactable shelter which offers the solution to the challenge of sealing a variety of trailer sizes, and those that include lift gates and other rear extensions.

Easily remove, replace, or change the Velcro-attached side curtains for maintenance flexibility.

Narrow 150mm wide side frames allow the shelter to fit into tight spaces, which can eliminate the need to reposition lights, signs and electrical conduit.



FEATURES & BENEFITS




Adaptable

The adjustable C-4 style head curtain accommodates a greater range of truck heights whilst ensuring a good seal on the top of the truck.



Durability

Robustly constructed with friction resistant, high-wear fabric and poly-wrapped foam side frames, the Combo Shelter is ready to take the impact.



Drive Through Design

Fabric reinforcing on insides of side head curtains allows trucks to push through the seal without adding wear to the curtain.

ECLIPSE | SHELTER

Totally Sealed Dock Shelter

This dock shelter blocks light and seals gaps where previous shelters have failed, especially on trailer tops and corners, guaranteeing the darkest, most environmentally-secure dock possible.

Side Seals – Durable Gapmaster hooks wrap around open truck doors sealing all hinge gaps.


Top Seals – A weighted head curtain applies over 40kg of pressure across the full width of the truck top. Gravity keeps the curtain in constant contact with the truck at all times.

Corner Seals – Innovative fabric corner pockets connect the shelter sides to the top providing a dark complete seal when truck is docked.

Bottom Seal – Add Ulti Group's under-leveller sealing system with the Eclipse lip corner seals, filler pads and other components to seal the fourth side of your dock.



FEATURES & BENEFITS



Impactable

Impactable foam side frames are reinforced with a high molecular weight polyethylene (HMWPE) layer to protect foam from damage from trailer impact.



Removable Sealing Hooks

Hooks come sleeved in conforming vinyl fabric wrap for better seal. Hooks are removable and easy to replace.



Warranty

36 Month money back satisfaction guarantee when ordered with premium fabrics.

RAINGUARD HEAD SEAL

Dock Header Seal

This seal eliminates wet, slippery conditions on the dock by sealing around the top of the trailer, preventing water from entering in from above.

It provides an expanded coverage range, greater durability, and better sealing against water on your docks than any other water seal system available.

Inadequate sealing can let wind, rain, dust and bugs into your facility and allow expensive controlled air to escape

Warranty: 3 years



FEATURES & BENEFITS



Strength

The rugged front plates of this dock loading seal are designed to take thousands of impacts from trucks backing into it, and will last for years.



Lower Costs

By eliminating wet and slippery conditions on the dock, product damage or contamination is reduced, and accidents from slippery floors are prevented.



Versatile

The RainGuard Seal retrofits virtually any existing seal or shelter, and the flexible, articulating front sweep action allows sealing of taller trailers without damage.

EXPANDABLE CONTAINER SHELTERS

Rolling Dock Shelters

Combining the flexibility of a dock shelter with the durability of a seal, these shelters roll-out for an energy efficient way to load at ground level.

This is your solution to ground level container loading where you still require a full encased environment, free of pests and vermin.

Simply plant the container on the ground, and roll out the shelter to surround the edges of the container, creating a tight seal.



FEATURES & BENEFITS



Method of Operation

Position container adjacent to the shelter. Manually pull out shelter until it envelops the end of the container. Open container doors and begin loading.



Easy Operation

Using galvanised steel pantograph style arms and nylon roller wheels at the bottom, it extends out or collapses away with ease.



Rotating Option

In areas where there is limited yard space the container can be positioned parallel to the building wall and the shelter constructed to rotate 90° to seal around the container.

DOCK ACCESSORIES



Dock Bumpers 92
Under Leveller Seals 93
Dok-Box Pit Forming Kit 94
Dok-Commander 95



DOCK BUMPERS

Building Protection Bumpers

Rubber and steel pads to take the impact on your building when trucks are docking, minimising the damage on both the building and truck trailers.

Extra length bumpers and extra thick bumpers are available on request, which may be needed due to a decline dock approach, overhang or other architectural feature.

Bumpers can come in multiple shapes and sizes, squares, t-shapes, rectangles and long strips.

Ulti Group will assess your application and provide you with the most suitable dock bumper to suit.



FEATURES & BENEFITS



Dock Saver Bumper

This bumper can withstand impact from trailer after trailer, and comes with a 10 year warranty. Rubber interior absorbs the impact while its steel face allows it to 'float' when trucks move up and down whilst touching it.



Steel Faced Bumper

This bumper provides excellent protection for all dock systems, the robust steel face absorbing the impact of backing trucks, and comes with a 5 year warranty.



Laminated Bumper

The laminated bumper comes with a 2 year warranty, and is suitable for a wide range of dock uses, providing suitable protection for both docks and trucks.

UNDER LEVELLER SEALS

Dock Leveller Seals

Sealing on the underside of your dock leveller, these seals help decrease energy costs by reducing heat transfer, and improve facility cleanliness.

Complete the job of your loading dock seal or shelter by simply and effectively sealing the 4th side of the dock opening with the Under Leveller Seal.



FEATURES & BENEFITS




Cleanliness

Helps keep dirt, debris and refuse out of your dock pits, by closing gaps around the leveller that allow dirt, dust and insects into the building. Improves hygiene to help pass Food Safe NZ inspections.



Energy Savings

Seals gaps to prevent heating or cooling energy from escaping the building, and reduces heat transfer through the steel leveller deck. Save up to \$1000 per year per dock in energy savings.



1 Year Money-Back Guarantee

Built to Ulti Group's high standards for quality and performance, the Under Leveller Seal is backed with a full 12-month, money-back guarantee of customer satisfaction.


DOK-BOX PIT FORMING KIT

Steel Structure for Creating Dock Pits

Minimise the costs associated with pouring a dock leveller pit with this steel dock pit forming kit which easily fits together to create the leveller pit you need.

The Dok-Box can be used for both new builds and retro-fits, and comes complete with front and rear squaring members for efficient, time saving set-up.

Warranty: 1 year



FEATURES & BENEFITS



Reduce Pit Forming Costs

Conventional methods for pouring dock leveller pits can be costly and time consuming. The Dok-Box Pit Forming Kit minimizes costs associated with pouring a dock leveller pit sliding and hooking together to easily create the pit you need.



Superior Structural Design

220mm steel side and rear panels and concrete anchors provide this dock leveller kit with ultimate strength to ensure it lasts for the long run.



Leveller-Ready

After the Dok-Box has been installed, the pit is right ready for the Dock Leveller to be installed, which due to the box being a perfect fit, is a fast and easy operation.

DOK COMMANDER

Dock System Control Box

Integrating multiple dock loading controls into one control box improves total dock safety and creates an easy to use dock system.

Clean and simple wall configuration, since each Dok-Commander box eliminates the need for multiple control boxes, and its narrow size allows for tight door centrelines.

Lower electrical installation costs by powering each dock position from a single branch circuit.



FEATURES & BENEFITS



Improved Safety

The Dok-Commander interlocks different dock loading equipment to ensure safety is maximised through the correct sequence being used.



Easy to Operate

Centralised panel integrates the controls of the vehicle restraint, door, leveller and dock lights, and you can decide on the sequence of events it will allow the operator to use.




Increase Productivity

Productivity is maximised through your dock loading equipment being used in the correct sequence, helping it achieve its full capabilities.

DOCK SAFETY



Vehicle Restraints 97 Wheel Chocks 98
Wheel Guides 99
 Dock Traffic Control Systems 100
 Corner VU Light Systems 101
 Trailer Stands 102 Dok-Guardians 103



VEHICLE RESTRAINTS

Safety Restraints for Vehicles

Designed to stop dock accidents, these wheel locks prevent dangerous creeping and premature departure of vehicles during loading and unloading of trucks and trailers.

Many accidents have happened where the truck creeps away from the dock and the forklift loading the truck ends up falling off the dock and crashing, causing equipment damage and personnel harm. Don't let this be your dock!

Restraints can be integrated with the dock leveller and light communication systems, increasing safety around the dock area.



FEATURES & BENEFITS



Global Wheel Lock

A wheel lock restraint which automatically engages the rear tyre of the truck or trailer with a barrier, and cannot move away until released from inside the dock area.



Manual Wheel Lock

A cost efficient version of the Global Wheel Lock which requires manual input, but still achieves full safety due to dock leveller integration.



Dok-Lok

Using a unique rotating hook design, the Dok-Lok rotates upwards when the trailer is in position to lock it in place, and being integrated with controls inside the building means it will not allow the truck to move away until all is safe.

WHEEL CHOCKS

Aluminum and Rubber Wheel Stops

These wheel chocks prevent dangerous creeping and premature departure of vehicles during loading and unloading of trucks and trailers, increasing safety at your loading docks.

Accidents can easily be caused by creeping trucks and trailers, but if the simple solution of wheel chocks are in place, the truck or trailer cannot creep and safety is maintained.

As well as the below different styles, multiple colour options are available.



WHEEL CHOCK STYLES



Aluminium Wheel Chocks

- Durable aluminium alloy casting
- One-piece construction for strength
- Reversible chock design assures a grip on virtually any surface
- Optional 3m chain



Rubber Wheel Chocks

- High density reinforced moulded rubber
- Optional 4.8mm bright zinc finish chain
- Optional 3m chain



Laminated Rubber Wheel Chocks

- 6.3mm rubber laminates held together with 19.05mm x 228.6mm steel rods
- 6.3mm steel end plates
- Optional 4.8mm bright zinc finish chain
- Optional 3m chain

WHEEL GUIDES

GUIDES

Low Rails to Guide Truck Tyres

By guiding truck tyres these low barriers ensure on-centre trailer positioning at your dock loading area, to protect building walls and enhance dock seal or shelter effectiveness.

Ensuring trucks back into your docks straight and on-centre reduces damage to your dock shelters and building walls.

Smooth, rounded corners of the wheel guides cause less damage and wear to the truck tyres, whereas concrete guides can have sharp edges and can cause damage if impacted.



FEATURES & BENEFITS



Making It Easy

By installing wheel guides, truck drivers can easily see to align their truck or trailer with the dock, and can back in easily.



Better Sealing

Because wheel guides force the truck to be central and straight on the dock, the dock seals can seal properly around the back of the truck, to stop expensive chilled air escaping.



Safer Loading

An off-centre truck or trailer means the dock leveller lip cannot position centrally on the vehicle floor which can be dangerous, so forcing the truck to be on-centre improves safety.

DOCK TRAFFIC CONTROL SYSTEMS

Traffic Lights For Docks

Simple red and green traffic lights to help dock workers inside your building communicate with truck drivers outside, improving both safety and productivity at your docks.

As well as normal traffic lights for dock lighting systems, there are lights for inside the building, so it can be easily seen that a certain dock is open and safe to enter the trailer.

Clear, concise communication to the right person, at the right time, in the right location.



FEATURES & BENEFITS



Safety

Using clear lighting signals to communicate around the dock loading area minimises the chance of moving dock equipment and trucks harming personnel.



Less Damage

Because trucks are notified by the traffic lights on how close they are to your building, they don't hit it with speed or force, minimising damage to both the truck and building.



Integration

Dock lights can be integrated with the control system inside the building, so docking becomes a simple, seamless operation for the dock controller and truck driver.

CORNER VU LIGHT SYSTEMS

Dock Safety Lighting

Corner-VU is a complete detection and visual management warning system for dock loading. It consists of internal lights on the dock to indicate whether the truck is safe to load or not.

Virtual filament technology reduces light pollution and allows for directional light.

Dock Leveller lights can be added which provide further safety and a reference point of the dock leveller location for the forklift operator when backing out of the trailer.



FEATURES & BENEFITS




Safety

Helps prevent forklift-pedestrian and forklift-forklift collisions and trailer separation accidents.



Lighting

Red and green lights indicate when the trailer is safe to load and there is no personnel or forklifts in the trailer.



Integrate

Corner-VU Lights can integrate with the dock leveller, vehicle restraint, dock traffic lights and dock commander to ensure the safest possible process is used when every truck is loading and unloading.

TRAILER STANDS

Trailer Supporting Stands

Providing back-up for a trailers landing gear, these robust stands prevent the trailer from tipping when the trailer is docked and the forklift is loading at the front.

Weight Capacity: Up to 45,000kg

Minimum Height: 1065mm

Maximum Height: 1400mm

Third wheel addition is optional, making the stand easier to manoeuvre and position.



FEATURES & BENEFITS



Enhance Safety

Seldom used or rusted landing gear may collapse under extreme weight, for example when forklifts are loading at the front of trailers. With a Trailer Stand, the trailer remains supported and safe.



Strength

Trailer Stands are made of heavy, square, tubular construction, and tyres are made of 405mm solid rubber, providing a load capacity of up to 45,000kg.



Height Adjustable

With a minimum height of 1065mm and a maximum height of 1400mm, the Trailer Stand can fit most trailers that come into your dock loading area.

DOK GUARDIANS

Removable Safety Barriers for Docks

A simple, removable, easy-to-use safety barrier which helps prevent forklifts, pallet jacks, and pedestrians from falling off loading docks.

Maximum Width: 5m

Height: 1120mm

Strength: Stops a 4500kg vehicle moving at 6.5km per hour



FEATURES & BENEFITS



Improve Safety

Vacant loading docks create a dangerous 1.2m drop-off, so protect your employees and equipment with this simple, easy-to-use safety solution.



Retractable

The highly visible red and yellow barrier is manually retractable, meaning when not in use barrier is stored out of harm's way, and is easily pulled out to guard the loading dock when needed.



Strong

Barrier can stop a 4500kg vehicle moving at 6.5km per hour, with little or no damage to the safety barrier, meaning it is ready to take the next accidental impact.



SAF & PROTECT SYSTEM

Barriers, bollards, gates, impact protection and line marking to protect buildings, personnel



ETY

ION

EMS

and product from costly damage.

BOLLARDS

Steel Circular Bollards

Specifically engineered bollards to provide maximum protection against vehicle and fork truck damage to your buildings and assets.

Ulti Bollards come in a wide range of sizes, colours and designs to suit any application where protection is needed against vehicle impact.

Available to be surface mounted, cast-in, or removable - to allow full access when needed.



FEATURES & BENEFITS



Save Costs

If a vehicle comes in contact with any of your assets, repairs are always expensive, but with bollards to protect your building and assets, the only cost is replacing the bollard.



Finish

Available with a galvanised finish to prevent corrosion, or a bright safety yellow, to enhance visibility and prevent impacts.



Door Frame Bollards

Full frame bollards are available to protect the perimeter of your doorways from forklift impact, preventing thousands of dollars of damage from vehicles that are too high or wide.

IMPACTABLE BOLLARDS

Plastic Bendable Bollards

Bollards which bend but never break, only needing their fixings replaced, ensuring full safety at the same time as protecting your building and assets from damage.



FEATURES & BENEFITS




Hygienic

Perfect for any cleanroom application due to being anchored by corrosion proof stainless steel, and being fully wash down and hygiene compliant.



Impactable

When impacted, the bollard takes the impact by bending on its fixing in the floor, but not pulling it out. No floor damage and minimal bollard damage is incurred.



Lower Costs

By using Impactable Bollards, less damage is incurred to both the bollard and vehicle, and expensive assets are protected, meaning reduced repair and maintenance costs when accidents occur.

IMPACTABLE BARRIERS

Plastic Impactable Barriers

Barriers which bend upon impact, only needing their fixings replaced, protecting your building and assets from damage, as neither the barrier nor the floor are damaged.

The ideal solution for the protection of walls, walkways, or to separate off an area from moving traffic.

Being high visibility yellow reduces impacts due to the barrier being easily seen by moving traffic.



FEATURES & BENEFITS




Hygienic

Barriers are anchored by corrosion proof stainless steel and are 100% water resistant, a fully wash down and hygiene compliant solution – great for any clean room application.



Impactable

Upon impact, the barrier absorbs the impact by simply bending their fixing in the floor, but not fully pulling out. No floor damage and minimal bollard damage is incurred.



Lower Costs

By using Impactable Barriers, less damage is incurred to both the barrier and vehicle, and expensive assets are protected, meaning reduced repair and maintenance costs when accidents occur.

SAFE T GATES

Barrier & Pedestrian Gate Combo

An easy to use yet robust and effective safety gate, improving safety at your facility whilst not affecting productivity.

Minimum Width: 1.5m

Maximum Width: 3m

Gate comes in two options, the manual option where personnel lift the gate upwards to a 90 degree position, and the automatic version where both rails lift upwards on a track to let personnel and machinery through underneath.



FEATURES & BENEFITS



Safety

When lowered, this lift-up gate acts as a barrier to withstand 90kg of force from any direction, preventing traffic from crossing personnel and machinery zones, while providing open accessways.



Ergonomically Friendly

Gate simply lifts upwards and folds out of the way, with its counterbalance system requiring less than 12kg of force to operate. Gate is upward-biased in fully raised position, and downward biased in fully lowered position.



Automatic Option

The automatic Safe T Gate is great for dock loading systems, where there are large drop-offs beyond the doorway. This can also be interlocked with other dock loading equipment to ensure the safest sequence of operation.

RACK SENTRY

Impactable Racking Protector

Plastic racking protection system which virtually eliminates pallet racking damage by absorbing the force of a forklift's impact, therefore improving safety and decreasing rack repair costs.

Cushioning those big bumps to pallet racking from forklifts and other moving traffic around your site, Rack Sentry protectors save your pallet racking from accidental knocks, which can potentially lead to large expenses and hours of downtime with damage to pallet racking. They surround the racking with a cushion of air, flexing under impact and protecting the vehicle, vehicle driver and racking.

Rack Sentry is suitable to be installed in sub-zero temperatures.



FEATURES & BENEFITS



Reusable

Rack Sentry's air-vent system allows air to escape upon impact, allowing the sentry to absorb the impact without splitting its sides. It then simply returns to its original shape, ready to take the next impact.



Easy to Install

The protector simply slots onto the racking, and two easy to use black Velcro straps wrap around the back of the racking protector and the racking leg together.



Any Racking

Available in a number of sizes and moulds to fit almost any type of racking, as well as corner posts of racking, giving a complete solution for racking protection.

COLUMN SENTRY

Impactable Column Protector

Plastic column protectors which strap around your columns to prevent expensive damage to your building, and improve safety around your site.

Cushioning those big bumps to columns from forklifts and other moving traffic around your site, Column Sentry protectors save your columns from those accidental knocks, which can potentially lead to large expenses and hours of downtime. They surround the column with a cushion of air, flexing under impact and protecting the vehicle, vehicle driver and column.

Suitable for sub-zero temperatures.

Can fit square, circular and H-style columns, ranging from 100mm to 770mm wide.



FEATURES & BENEFITS



Reusable

Column sentry's air-vent system allows air to escape upon impact, allowing the sentry to absorb the impact without splitting its sides. The column then simply returns to its original shape, ready to receive the next accidental impact.



Easy to Install

Built in two lightweight halves, each fits with ease onto each side of the column, and then two black Velcro straps wrap around the two halves, strapping them tight to the column.



Versatile

Available in a number of sizes and moulds to fit almost any column, so you can have every different size or shape column on your site protected and safe from impact.

CORNER SENTRY

Impactable Corner Protector

Plastic corner protectors add a protective layer to your vulnerable corners around your facility, reducing or eliminating damage to both the corner and vehicle.

Vehicle impact is a constant problem for industrial corners in heavy traffic areas. Corner sentry is a bright yellow material which attaches to your corners, adding visibility to the area, whilst absorbing any accidental impact that may occur.

Height: 1070mm

Thickness at corner: 50mm



FEATURES & BENEFITS



Absorbs Impact

Upon impact, the corner protector absorbs the force of the moving vehicle, meaning no damage is made to the vehicle or the corner. It is always ready to take the next accidental impact.



Highly Visible

Made out of a bright yellow EVA material, the protector highly visible, giving your corners around your facility added exposure and reducing the number of accidental impacts.



Reusable

Due to being impactable, Corner Sentry can be used time and time again, as after an impact it simply returns to its original shape, ready to take the next impact.

ULTI LINE

Floor Marking Tape

A durable PVC line marking tape that's easy to install, with no drying time and no contamination issues, and which can be easily removed if required. You may be experiencing issues with painted lines, or with maintaining a well organised work area, and looking for a solution, well – you've found it.

Ulti-Line is the most durable and user-friendly line marking tape on the market, and is just the product you need. Ulti-Line not only comes in a large variety of colours, but also can be glow-in-the-dark, signage for factory flooring, a large variety of shapes including footprints and dots, diagonally striped, and many more different styles.

Warranty: 3 years

Available in: 50mm, 75mm, 100mm and 150mm widths



FEATURES & BENEFITS




Advantages

- Easy to install
- Durable thick finish
- No drying time
- No contamination issues
- No production downtime
- Easily removed for configuration changes



Large Range

Ulti-Line not only comes in a large variety of colours, but also shapes including footprints and dots, diagonally striped, and many other styles.



Glow-In-The-Dark

Keep personnel in your facility safe during power cuts with glow-in-the-dark Ulti-Line. Light up safe areas to walk and walkways to exits when your facility has no lights and is pitch black.

SPAN GUARD

Retractable Light Traffic Barrier

A versatile and easy to remove barrier that is an economical option for separating and defining large work areas and walkways, providing a substantial visible and physical barrier.

Ideal for: Separating and defining large work areas, work stations, long walkways and interior loading docks.

Maximum Width: 18.3m clear span

Strength: Stops up to 2300kg of force

Curtain Height: 915mm

Height of curtain off floor: 1220mm



FEATURES & BENEFITS



Safety

It provides both a substantial visual and physical barrier. It is difficult for personnel to go through or over because of its solid curtain and height above the floor.



Retractable

Often, barriers need to be easily removed for unobstructed access to the area they protect, and that's why the SpanGuard was designed to be easily retractable, rolling up on itself back into its casing.



Relocatable

Because plant operations change over time, flexibility and the ability to relocate barriers at minimal cost are important. SpanGuard has minimal floor fixings so can easily be relocated.

GUARD RITE STRAP

Retractable Heavy Traffic Barrier

A heavy duty two-strap barrier system used to protect large work areas or long walkways, which can be easily removed to provide full access to these areas.

Consider this system for areas that are currently designated by only a yellow painted line. It provides an economical, effective visual and physical barrier to help keep people and material handling equipment out of harm's way.

Maximum Span: 18.3m

Impact Rating: Can stop a 4500kg forklift travelling at 6.5km/h

Height: Top strap is 152mm high



FEATURES & BENEFITS




Safety

The double post design can stop a 4500kg forklift travelling at 6.5km/h, providing maximum safety for personnel using walkways or working in areas with high traffic volume around them.



Retractable

Straps can span up to 18.3m between permanently mounted steel posts and are easily retracted to provide unobstructed access to the area they guard.



Save Costs

Costs are saved not only through prevention of damage to equipment and harm to personnel but also from the straps being impactable, absorbing impact without damage. If needed, straps can be retensioned after impact.

SURE STOP

Forklift Barrier System

A low barrier system which stops the forks of a forklift damaging building walls or other sensitive assets, reducing repair costs at your facility.

Sure Stop can also be used for pallet positioning, to push pallets up against.

Safety yellow powder coated pant provides high visibility.

Strength: Can stop a 4500kg forklift traveling at 6.5km/h



FEATURES & BENEFITS



Separates and Protects

A highly visible yellow barrier which is great for protecting and separating equipment, work, personnel areas, building walls and long rail docks. This reduces damages and therefore costs.



Take The Force

The 205mm high 4.8mm thick steel can withstand the impact of a 4500kg forklift travelling at 5 to 6.5km/hr, a suitable strength for nearly every application.



Versatile

A modular and easy to install barrier, with the ability to be configured to many different situations.

TRAFFIC MANAGEMENT CONSULTING

Expert Traffic Safety Advice


Professional consulting to help you ensure your people, plant and equipment are well protected and safe from moving traffic with the use of our traffic management products.

Many companies install traffic management barriers, bollards, and rails without a plan, which may seem suitable for the short term, but when coming to enforce Traffic Management throughout their whole site, face issues with having to remove and relocate original barrier so traffic can flow efficiently and safely.

A detailed Traffic Management Plan from the start will ensure this doesn't happen.



FEATURES & BENEFITS



Professional Advice

Ulti Group's traffic management sales team have had years experience behind them, in planning, supplying and installing traffic management systems, so their advice will prove invaluable to you!



Improve Safety

By having a fully planned Traffic Management layout, all traffic flows safely, easily and efficiently around your facility, and at all times protects personnel from moving traffic.



OHS Compliant

All Traffic Management products supplied by Ulti Group are Worksafe compliant, and have been rigorously tested to ensure they are suitable to protect your personnel.



OT PRO

Other innovative products to help maintain temperature and hygiene, increase safety, security,



HER DUCTS

work environments and lower costs.



ZONWORKS CURTAINS

Industrial Curtain Walls

Large fabric curtain walls used to separate and partition off specific areas of your facility, to separate temperature, noise, or cleanrooms.

Don't make a permanent mistake – traditional rigid walls lock you into a layout and make future changes timely and costly. This flexible wall design gives you the ability to easily reconfigure, relocate, or remove them as your facility needs change.

Ideal For:

- Freezers
- Chillers
- Warehouses
- Open Dock Areas
- Production Areas
- Clean Rooms
- Manufacturing Areas



FEATURES & BENEFITS



Insulated Curtains

Zoneworks Insulated Curtains keep chilled areas cool and heated areas warm, providing up to 22°C of temperature separation. Protect temperature sensitive items, increase employee comfort, and reduce energy costs.



Sound Proof Curtains

Protect employee hearing and enhance comfort. Our modular, flexible sound-dampening panels are layered with sound-absorbing materials that can reduce noise levels by 22-25 dBs.



Wash Down Curtains

Created out of white vinyl fabric with air and water tight seams, these curtain walls eliminate the potential for bacteria, mould or mildew to accumulate. All components are made out of corrosion resistant stainless steel.

REVOLUTION FANS

Large Industrial Ceiling Fans

Circulating air over a large diameter, these over-sized fans drive down energy costs to a level you will be comfortable with, and increase employee productivity.

Ulti Group's oversize fans offer year round comfort, increased energy savings and numerous other benefits, and they only cost a few cents an hour to operate. A single Revolution Fan can eliminate up to 20 smaller floor fans.

Minimum Diameter: 2.5m
Maximum Diameter: 7.3m

Ideal For: Any large manufacturing facility, Gyms, Halls, Sports Facilities.



FEATURES & BENEFITS



Cooling

The increased air movement and evaporating cooling effect can make the air in your facility up to 6°C cooler. Air speed produces a wind chill factor, therefore lowering the room temperature.



Heating

Revolution Fans operating in the winter will mix the warmer air at the ceiling with the cooler air at the floor to even the temperature. This reduces the stress on your other heating means for heating your facility.



Comfort

While Revolution Fans keep people cooler in the summer and warmer in the winter, they also can help reduce the chance of heat stress and help eliminate illness caused by poor indoor air quality.

AIR CURTAINS


High Velocity Air Curtains

Fixed above a doorway these units create an invisible curtain of high velocity air, forming an effective doorway barrier without inhibiting access for your staff or customers.

Suitable for doorways up to 3.5m high and 1.8m wide.

All Ulti Air Curtain models have variable fan speed with hygienic plastic housings and fans, making them easy to clean.

The units mount easily and plug into a standard power point. Once running, a powerful but invisible curtain of air is powered down toward the floor. This will disrupt the flight of insects and as a bonus the air even acts as a temperature barrier.



FEATURES & BENEFITS



Protect

Also known as an Air Door, Air Curtains prevent flying insects, odours and dust from entering your premises, as the air being forced downward creates a barrier.



Environmental Control

The curtain of air created also acts as a temperature barrier between the inside and outside of the doorway, helping reduce energy expenses associated with the heating and cooling of your room.



Improved Comfort

By keeping out insects and helping maintain the interior temperature of the room, Air Curtains create a clean and controlled environment for your staff and customers.

ULTI BARRIER ARMS

Access Control Traffic Barrier Arms

Automatic barrier arms to control access to and from restricted areas around your facility or car park, preventing unauthorised access and therefore increasing security.

Ideal For: Closing off passage ways, controlling areas, suitable for motorways, parking areas, shopping centers, industrial centers, private areas and more.

Minimum Barrier Length: 2m

Maximum Barrier Length: 8m

Arm may be assembled on the left or the right side.



FEATURES & BENEFITS



Durable

The frame of the traffic arm is completely electrowelded and plated steel with prepainted aluminium panels, a durable and strong barrier to endure harsh environments.



Security

The automatic barrier is also known as an automatic security arm, due to providing both a visual and physical barrier to prevent unauthorised access into a certain area.



Easily Operated Manually

An emergency handle is used to open the barrier with ease when needed. This prevents any issues with not being able to enter or exit through the barrier in an emergency situation.

PLANNED SERVICING

A well designed service programme extends the life of your equipment and reduces expenditure.



Prevention is better than cure. As your doors are key to maintaining security, efficiency and environmental control of your operations, huge losses in these areas can be incurred if your doors aren't operating to their full capacity or are susceptible to costly breakdowns. The growing regulations of the workplace, care to customers and staff, and inconvenient and costly breakdowns make preventative maintenance an investment, not a cost.

Ulti Group's service and maintenance programme is a simple and effective way to minimise costs while maximising the lifetime of your door, dock or other equipment. Our extensive on-site experience means our expertise extends to all brands of automatic door operators and dock systems, providing a complete and comprehensive level of service and support.

FEATURES & BENEFITS



Fewer Breakdowns

Less unexpected, inconvenient and premature breakdowns - regular checks reduces costly repairs and callouts and decreases downtime.



Increased Security

Door function is regularly checked and adjusted for proper operation, meaning security in each of your doorways is maintained.



Health & Safety

Minimised health and safety risks - doors are maintained in a safe condition.



Service & Maintenance Programmes include:

- Regular maintenance required for your doors to operate at optimum performance levels
- Detection of any operational faults before they become costly repairs
- Periodic inspections of your doors; the actual timeframe calculated on the type, age and usage of the doors involved.
- Service work completed by our specialist door technicians at the time frames predetermined by your site.
- After-service reports containing detailed information on the condition of your doors, upcoming repair alerts and recommended upgrades for your consideration and approval. In the initial service contract a service value is determined, with additional approval sought for any works outside the scope of this service.



Improved Working Environment

Less unexpected, inconvenient and premature breakdowns - regular checks reduce costly repairs/callouts, and decrease downtime



Priority Service

Customers with a service programme are given priority when it comes to non-scheduled servicing and repairs.



Asset Protection

Minimised health and safety risks - doors are maintained in a safe working condition.

CUSTOM DESIGNS

**You tell us your problem;
we give you the solution.**

At Ulti Group we pride ourselves in the fact we can design and manufacture any custom system with doors, docks and safety systems to suit your application.




Having quality products that can be adjusted and changed to fit into a complex process makes building a perfect solution for you easy, as well as with our vast range of international contacts and suppliers we can source any door or dock component we need to build that perfect solution.

Do you have a door or dock system problem you can't seem to fix? Lost for ideas? Have an idea which needs building? Maybe you know what you want to do, but aren't sure how to make it happen?

Contact Ulti Group today and let us build your perfect solution for you.

CUSTOM DESIGN DOCK SYSTEMS FOR MAINFREIGHT



A typical example of a custom designed solution was the dock loading solution Ulti Group created for Mainfreight. Integrating truck levellers, large container dock levellers, dock seals, dock shelters, roller doors and safety lighting, we constructed the perfect solution for the challenge they had with loading both hard side trucks and container trucks at their facility.

MISSION AND VISION



Conserve Energy



Protect Health



Save Lives

'Our mission is to conserve energy, protect health and save lives through quality and innovative solutions.'

Through our innovative solutions we indeed do live this mission, our range of temperature control door systems are an ideal solution to conserve energy, we protect health everyday by providing specialist door solutions to reduce the risk of bacteria entering critical hygiene areas where food is being produced. Likewise apart from the many safety features built into our products we are providers of many solutions to stop physical harm to thousands of people in and around our customers factories and warehouses.

Ulti Group is extremely passionate about where our customers are now and where they want to be in the future and are committed to further stepping up our game in every aspect to propel our customers to that next level.


This passion comes from our Mission and Vision which gives us the extra boost to leap out of bed in the mornings and head to work to save another life, improve health and conserve more energy.

Come join us on our fantastic journey...the tickets are free!

'Our vision is to lead with clarity, deliver value with certainty, while growing together as a truly great team.'



Lead with Clarity



Deliver Value



Growing Together



www.ultigroup.co.nz



PRODUCT
CATALOGUE



0800 807 753 | +64 9 407 9619 | sales@ultigroup.co.nz

Northland, Auckland, Waikato, Bay of Plenty, Taranaki, Manawatu, Wellington, Marlborough, Nelson, Christchurch