UltiGroup
SPECIALIST ACCESSWAY SOLUTIONS

Ulti 4500 Series

THERMAL TRAFFIC DOORS

SPECIALIST DOOR SOLUTIONS

0800 807 753

ultigroup.co.nz

Ulti 4500 Series Doors

Ulti 4500 Series Thermal Traffic Door was developed to provide a premium traffic door for the discerning customer.

WHY CHOOSE 4500 SERIES THERMAL TRAFFIC DOORS

All components such as pivots, hinges and mounting hardware are from our proven 2400 and 3000 Series range of flexible doors. Features include a rotational moulded polyethylene skin that is then high density foam filled and cured to provide exceptional thermal and noise insulation properties.

Full surround seals prevent dust, insect and contaminant intrusion. All doors are standard with double glazed polycarbonate windows, recessed for protection, and providing exceptional visibility for pedestrians.

The panels have a lightly textured flat surface to ensure a smooth easy passage for trolleys.

If you have had previous experiences with flexible PVC Traffic Doors and were concerned about the cleaning and maintenance required or are requiring a premium product, the 4500 Series Thermal Traffic Door is the door for you.

Thermal Value Comparable with 100mm Polystyrene Panel.

VERSATILE - APPLICATIONS INCLUDE:

- Supermarkets/Department stores
For aesthetic separation of the selling floor from stock and store rooms.

- Hospitals and Laboratories
For theatre doorways and clean room applications where hygiene is paramount.

- Food processing industries
For high usage personal entry doors to factory, wash rooms and processing areas.

- Postal delivery centers
For load-out and receivables doorways.

- Restaurant/food service
For food preparation and kitchen entry doorways. Separation of air conditioned areas to ambient.

Ulti 4500 Series Doors

The Ulti 4500 Series Thermal Traffic Door is ideally suited to many situations where constant traffic access is required.

The panels have a lightly textured flat surface to ensure a smooth easy passage for trolleys.

Features include a rotational moulded polyethylene skin that is then high density foam filled and cured to provide exceptional thermal and noise insulation properties.

Ulti 4500 Series Doors

600 BUFFERS

- Available in Grey, Black and White
- Up to 680mm FFL
- Spring impact buffers are highly recommended for trolley and forklift traffic
- Buffers are pre-tensioned to effectively absorb impact enabling the doors to open gently
- Stop direct shock transferring into the door mounting hardware
- Buffers available to retro fit to any door

900 BUFFERS

- For taller trolleys
- Particular impact points
- Up to 1000mm high FFL
- Available in Grey, Yellow and Kosciusko

COLOURS

Black | Wheat | Ultra Grey | Ice White | Kosciucsko | Breeze Blue

KICK PLATES

- Flat Kickplates for light trolley and personnel traffic
- Highly effective in preventing scratching and gouging of the main door panel
- Available in Grey and Black

TEXTURE

- Easy to clean surface





WINDOWS

- 3mm thick Polycarbonate
- Double glazed
- ABS surrounds

UPPER / LOWER PIVOTS

- Lubrication free
- Non-corrosive
- Acetal Bearing / Nylon Pivot

SIGNAGE

- Fully protected signage inside double-glazed window
- More sign options are available

MECHANISMS

- Lubrication free
- Fully adjustable alignment and tension
- Stainless Steel pivot shafts
- Stainless Steel spring optional

PANELS

Energy savings

Encased Aluminium gasket retaining spines

Rounded leading edge for safety

High density CFC Free foam core forinsulation and strength

One piece 4mm thick rotational moulded polyethylene skin



www.ultigroup.co.nz

SPECIALIST
ACCESSWAY
SOLUTIONS

UltiGroup
SPECIALIST ACCESSWAY SOLUTIONS

0800 807 753 | +64 9 407 9619 | sales@ultigroup.co.nz

Northland, Auckland, Waikato, Bay of Plenty, Taranaki, Manawatu, Wellington, Marlborough, Nelson, Christchurch